

TamilNadu Medical Services Corporation Limited, Chennai - 600008

**Online Tender for fixing rate contract for Laboratory Reagents, Chemicals and Consumables to TNMSC Limited
for three years from the date of acceptance**

Tender Ref. No. e-006/M(P)/LAB-CHEM/TNMSC/2024, Dated. 27.04.2024

Part 1 : List of Products Deleted from Tender

Sl. No.	Code No.	Name of the Product
1	LR079	Fluoride Solution
2	LR082	Normal Physiological Saline - 0.85%
3	LR085	Acetic Acid - 5%
4	LR093	Alanine amino Transferase (SGPT) Kit for auto analyser
5	LR095	Alakaline Phosphatase Kit for automated Analyser
6	LR099	ASO Kit (Immunoturbidometric Method)
7	LR100	Aspartate Transaminase (SGOT) Kit for Automated Analyser
8	LR102	Bilirubin Test Kit (Direct) for automated analyser
9	LR104	Bilirubin Test Kit (Total) for Automated Analyser
10	LR106	Cholesterol Test Kit for Automated Analyser
11	LR109	Creatinine Test Kit for Automated Analyser
12	LR111	C-Reactive Protien (CRP) Test Kit
13	LR114	Glucose Test Kit for Automated analyser
14	LR118	HDL Cholesterol Kit for Automated analyser
15	LR122	Microalbuminuria Kit for Automated Aalyser
16	LR130	Triglycerides Test Kit for Automated Analyser

Sl. No.	Code No.	Name of the Product
17	LR132	Urea Test Kit for Semi Automated Analyser
18	LR134	Uric Acid Test Kit for Automated Analyser
19	LR139	Total Protien Kit for Automated Analyser
20	LR141	Total Albumin Kit for Automated Analyser Serum Total Albumin
21	LR143	Amylase Kit (mono vial) For Automated Analyser
22	LR166	Disposable Micro Tips for Micro Plate Reader Elan 30S
23	LR167	Transponder for fully automated EWSR Analyzer
24	LR170	Cover Glass

Part 2 : Details of Technical and Sample Evaluation

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1061810	Affigenix Biosolutions Pvt Ltd	LR093	Alanine Amino Transferase (SGPT) Kit			Deleted
1061810	Affigenix Biosolutions Pvt Ltd	LR094	Alanine Amino Transferase (SGPT) Kit	Accepted	Accepted	Accepted
1061810	Affigenix Biosolutions Pvt Ltd	LR095	Alkaline Phosphatase Kit For Automated Analyser			Deleted
1061810	Affigenix Biosolutions Pvt Ltd	LR096	Alkaline Phosphatase Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1061810	Affigenix Biosolutions Pvt Ltd	LR099	ASO Kit (Immuno Turbidometric Method)			Deleted
1061810	Affigenix Biosolutions Pvt Ltd	LR100	Aspartate Transaminase (SGOT) Kit For Automated Analyser			Deleted
1061810	Affigenix Biosolutions Pvt Ltd	LR101	Aspartate Transaminase (SGOT) Kit - Semi Automated Analyser	Accepted	Accepted	Accepted
1061810	Affigenix Biosolutions Pvt Ltd	LR102	Bilirubin Test Kit (Direct) For Automated Analyser			Deleted

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1061810	Affigenix Biosolutions Pvt Ltd	LR103	Bilirubin Test Kit (Direct) for Semi Automated Analyser	Accepted	Accepted	Accepted
1061810	Affigenix Biosolutions Pvt Ltd	LR104	Bilirubin Test Kit (Total) For Automated Analyser			Deleted
1061810	Affigenix Biosolutions Pvt Ltd	LR105	Bilirubin Test Kit (Total) For Semi Automated Analyser	Rejected	Accepted	Rejected
1061810	Affigenix Biosolutions Pvt Ltd	LR106	Cholesterol Test Kit For Automated Analyser			Deleted
1061810	Affigenix Biosolutions Pvt Ltd	LR107	Cholesterol Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1061810	Affigenix Biosolutions Pvt Ltd	LR109	Laboratory Kits Creatinine Test Kit			Deleted
1061810	Affigenix Biosolutions Pvt Ltd	LR110	Laboratory Kits Creatinine Test Kit	Accepted	Accepted	Accepted
1061810	Affigenix Biosolutions Pvt Ltd	LR111	C-Reactive Protein(CRP) Test Kit-Quantitative			Deleted
1061810	Affigenix Biosolutions Pvt Ltd	LR114	Glucose Test Kit for Automated Analyser			Deleted
1061810	Affigenix Biosolutions Pvt Ltd	LR115	Glucose Test Kit for Semi Automated Analyser	Accepted	Accepted	Accepted
1061810	Affigenix Biosolutions Pvt Ltd	LR118	HDL Cholesterol Kit For Automated Analyser			Deleted
1061810	Affigenix Biosolutions Pvt Ltd	LR119	HDL Cholesterol Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1061810	Affigenix Biosolutions Pvt Ltd	LR122	Microalbuminuria Kit for Automated Analyser			Deleted
1061810	Affigenix Biosolutions Pvt Ltd	LR123	Microalbuminuria Kit for Semi Automated Analyser	No Sample	Accepted	Rejected
1061810	Affigenix Biosolutions Pvt Ltd	LR130	Triglycerides Test Kit For Automated Analyser			Deleted
1061810	Affigenix Biosolutions Pvt Ltd	LR131	Triglycerides Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1061810	Affigenix Biosolutions Pvt Ltd	LR132	Urea Test Kit For Automated Analyser			Deleted
1061810	Affigenix Biosolutions Pvt Ltd	LR133	Urea Test Kit For Semi Automated Analyser	Rejected	Accepted	Rejected
1061810	Affigenix Biosolutions Pvt Ltd	LR134	Uric Acid Test Kit For Automated Analyser			Deleted
1061810	Affigenix Biosolutions Pvt Ltd	LR135	Uric Acid Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1061810	Affigenix Biosolutions Pvt Ltd	LR139	Total Protein Kit For Automated Analyser			Deleted
1061810	Affigenix Biosolutions Pvt Ltd	LR140	Total Protein Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1061810	Affigenix Biosolutions Pvt Ltd	LR141	Total Albumin Kit For Automated Analyser			Deleted
1061810	Affigenix Biosolutions Pvt Ltd	LR142	Total Albumin Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1061810	Affigenix Biosolutions Pvt Ltd	LR144	Amylase Kit (mono vial) For Semi Automated Analyser	Accepted	Accepted	Accepted
	33					
1062390	Alan Medical and Laboratory Products	LR075	Absolute Alcohol AR - 500ml	No Sample	Accepted	Rejected
1062390	Alan Medical and Laboratory Products	LR078	Drapkin's Reagent	Accepted	Accepted	Accepted
1062390	Alan Medical and Laboratory Products	LR080	Isopropyl Alcohol(Surgical Spirit)	Rejected	Accepted	Rejected
1062390	Alan Medical and Laboratory Products	LR081	Lugol's Iodine	Accepted	Accepted	Accepted
1062390	Alan Medical and Laboratory Products	LR082	Normal Physiological Saline - 0.85%			Deleted
1062390	Alan Medical and Laboratory Products	LR084	Sodium Hypochlorite Solution - 5%	Accepted	Accepted	Accepted
1062390	Alan Medical and Laboratory Products	LR085	Acetic Acid - 5%			Deleted
1062390	Alan Medical and Laboratory Products	LR086	Distilled Water	Rejected	Accepted	Rejected
1062390	Alan Medical and Laboratory Products	LR088	Leishman's Stain	Accepted	Accepted	Accepted
1062390	Alan Medical and Laboratory Products	LR093	Alanine Amino Transferase (SGPT) Kit			Deleted
1062390	Alan Medical and Laboratory Products	LR094	Alanine Amino Transferase (SGPT) Kit	Rejected	Accepted	Rejected
1062390	Alan Medical and Laboratory Products	LR097	Anti Streptolysin-O Kit	Accepted	Accepted	Accepted

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1062390	Alan Medical and Laboratory Products	LR101	Aspartate Transaminase (SGOT) Kit - Semi Automated Analyser	Accepted	Accepted	Accepted
1062390	Alan Medical and Laboratory Products	LR107	Cholesterol Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1062390	Alan Medical and Laboratory Products	LR108	C-Reactive Protein(CRP) Test Kit-Rapid	Rejected	Accepted	Rejected
1062390	Alan Medical and Laboratory Products	LR110	Laboratory Kits Creatinine Test Kit	Rejected	Accepted	Rejected
1062390	Alan Medical and Laboratory Products	LR115	Glucose Test Kit for Semi Automated Analyser	Rejected	Accepted	Rejected
1062390	Alan Medical and Laboratory Products	LR116	HBsAg Card Test	Accepted	Accepted	Accepted
1062390	Alan Medical and Laboratory Products	LR119	HDL Cholesterol Kit For Semi Automated Analyser	Rejected	Accepted	Rejected
1062390	Alan Medical and Laboratory Products	LR125	Pregnancy Card Test	Accepted	Accepted	Accepted
1062390	Alan Medical and Laboratory Products	LR126	Rheumatoid Factor (RF) Test Kit - Rapid	Rejected	Accepted	Rejected
1062390	Alan Medical and Laboratory Products	LR131	Triglycerides Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1062390	Alan Medical and Laboratory Products	LR135	Uric Acid Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1062390	Alan Medical and Laboratory Products	LR137	Urine Multi Strips	Rejected	Accepted	Rejected
1062390	Alan Medical and Laboratory Products	LR140	Total Protein Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1062390	Alan Medical and Laboratory Products	LR142	Total Albumin Kit For Semi Automated Analyser	Rejected	Accepted	Rejected
1062390	Alan Medical and Laboratory Products	LR144	Amylase Kit (mono vial) For Semi Automated Analyser	Accepted	Accepted	Accepted
1062390	Alan Medical and Laboratory Products	LR145	Anti HCV Kit	Accepted	Accepted	Accepted
1062390	Alan Medical and Laboratory	LR152	Troponin I Kit	Rejected	Accepted	Rejected

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
	Products					
1062390	Alan Medical and Laboratory Products	LR165	Malaria RDT Rapid Card Test	Accepted	Accepted	Accepted
1062390	Alan Medical and Laboratory Products	LR169	Cavity Slide	No Sample	Accepted	Rejected
1062390	Alan Medical and Laboratory Products	LR170	Cover Glass			Deleted
1062390	Alan Medical and Laboratory Products	LR171	Disposable Cup - 300ml Capacity	Rejected	Accepted	Rejected
1062390	Alan Medical and Laboratory Products	LR172	Disposable Petri Plates-Sterile	Accepted	Accepted	Accepted
1062390	Alan Medical and Laboratory Products	LR173	Fluoride Tube with Grey Colour Cap	Accepted	Accepted	Accepted
1062390	Alan Medical and Laboratory Products	LR174	Glass Marking Pencil - White	Rejected	Accepted	Rejected
1062390	Alan Medical and Laboratory Products	LR175	Glass Slides	Rejected	Accepted	Rejected
1062390	Alan Medical and Laboratory Products	LR176	Glass Test Tubes	Accepted	Accepted	Accepted
1062390	Alan Medical and Laboratory Products	LR178	K2 EDTA Tube - 2400 Tubes	Accepted	Accepted	Accepted
1062390	Alan Medical and Laboratory Products	LR179	K2 EDTA Tube - 100 Nos	Accepted	Accepted	Accepted
1062390	Alan Medical and Laboratory Products	LR182	Microcentrifuge Tube	No Sample	Accepted	Rejected
1062390	Alan Medical and Laboratory Products	LR183	Micropipette Tips - Small	Accepted	Accepted	Accepted
1062390	Alan Medical and Laboratory Products	LR184	Micropipette Tips - Large	Accepted	Accepted	Accepted
1062390	Alan Medical and Laboratory Products	LR185	Plain Tube with Red Colour Cap	Accepted	Accepted	Accepted
1062390	Alan Medical and Laboratory Products	LR186	Sodium Citrate Tube with Black Colour Cap (ESR)	Accepted	Accepted	Accepted

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1062390	Alan Medical and Laboratory Products	LR187	Sodium Citrate Tube with Black Colour Cap (ESR)	Accepted	Accepted	Accepted
1062390	Alan Medical and Laboratory Products	LR188	Filter Papers (BT & CT)	Rejected	Accepted	Rejected
1062390	Alan Medical and Laboratory Products	LR189	Capillary Tube Glass (Clotting Time)	Rejected	Accepted	Rejected
1062390	Alan Medical and Laboratory Products	LR191	Serum Vials	Accepted	Accepted	Accepted
1062390	Alan Medical and Laboratory Products	LR192	Sharp Container-White	Rejected	Accepted	Rejected
1062390	Alan Medical and Laboratory Products	LR193	Sputum Cup-Sterile	Accepted	Accepted	Accepted
1062390	Alan Medical and Laboratory Products	LR197	Test Tube(Plastic) / RIA Vial	Rejected	Accepted	Rejected
1062390	Alan Medical and Laboratory Products	LR200	Tissue Paper Roll	Accepted	Accepted	Accepted
1062390	Alan Medical and Laboratory Products	LR201	Tourniquet	Accepted	Accepted	Accepted
1062390	Alan Medical and Laboratory Products	LR202	Urine Container - Non Sterile	Accepted	Accepted	Accepted
1062390	Alan Medical and Laboratory Products	LR203	Hand Wash Solution	Rejected	Accepted	Rejected
1062390	Alan Medical and Laboratory Products	LR204	Plain Tube with Silica Clot Activator with Hemoguard Closure	Accepted	Accepted	Accepted
1062390	Alan Medical and Laboratory Products	LR205	Lithium Heparin with Hemogard Closure - 4ml	Accepted	Accepted	Accepted
1062390	Alan Medical and Laboratory Products	LR206	Sodium Fluoride and EDTA with Hemogard Closure - 2ml	Accepted	Accepted	Accepted
1062390	Alan Medical and Laboratory Products	LR207	0.109M (3.2%) Sodium Citrate with Hemogard Closure - 1.8ml	Rejected	Accepted	Rejected
1062390	Alan Medical and Laboratory Products	LR208	0.109M(3.2%) Sodium Citrate with Hemogard Closure - 2.7 ml	Accepted	Accepted	Accepted
1062390	Alan Medical and Laboratory	LR209	Serum Separation Gel Tubes with Hemogard	Accepted	Accepted	Accepted

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
	Products		Closure - 3.5ml			
1062390	Alan Medical and Laboratory Products	LR210	Serum Separation Gel Tubes with Hemogard Closure - 5ml	Accepted	Accepted	Accepted
	63					
1088571	Allied Biotechnology India Pvt Ltd	LR093	Alanine Amino Transferase (SGPT) Kit			Deleted
1088571	Allied Biotechnology India Pvt Ltd	LR094	Alanine Amino Transferase (SGPT) Kit	Accepted	Accepted	Accepted
1088571	Allied Biotechnology India Pvt Ltd	LR095	Alkaline Phosphatase Kit For Automated Analyser			Deleted
1088571	Allied Biotechnology India Pvt Ltd	LR096	Alkaline Phosphatase Kit For Semi Automated Analyser	Rejected	Accepted	Rejected
1088571	Allied Biotechnology India Pvt Ltd	LR100	Aspartate Transaminase (SGOT) Kit For Automated Analyser			Deleted
1088571	Allied Biotechnology India Pvt Ltd	LR101	Aspartate Transaminase (SGOT) Kit - Semi Automated Analyser	Accepted	Accepted	Accepted
1088571	Allied Biotechnology India Pvt Ltd	LR106	Cholesterol Test Kit For Automated Analyser			Deleted
1088571	Allied Biotechnology India Pvt Ltd	LR107	Cholesterol Test Kit For Semi Automated Analyser	Rejected	Accepted	Rejected
1088571	Allied Biotechnology India Pvt Ltd	LR109	Laboratory Kits Creatinine Test Kit			Deleted
1088571	Allied Biotechnology India Pvt Ltd	LR110	Laboratory Kits Creatinine Test Kit	Accepted	Accepted	Accepted
1088571	Allied Biotechnology India Pvt Ltd	LR118	HDL Cholesterol Kit For Automated Analyser			Deleted
1088571	Allied Biotechnology India Pvt Ltd	LR119	HDL Cholesterol Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1088571	Allied Biotechnology India Pvt Ltd	LR125	Pregnancy Card Test	Accepted	Accepted	Accepted
1088571	Allied Biotechnology India Pvt Ltd	LR130	Triglycerides Test Kit For Automated Analyser			Deleted

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1088571	Allied Biotechnology India Pvt Ltd	LR131	Triglycerides Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1088571	Allied Biotechnology India Pvt Ltd	LR132	Urea Test Kit For Automated Analyser			Deleted
1088571	Allied Biotechnology India Pvt Ltd	LR133	Urea Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1088571	Allied Biotechnology India Pvt Ltd	LR134	Uric Acid Test Kit For Automated Analyser			Deleted
1088571	Allied Biotechnology India Pvt Ltd	LR135	Uric Acid Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1088571	Allied Biotechnology India Pvt Ltd	LR139	Total Protein Kit For Automated Analyser			Deleted
1088571	Allied Biotechnology India Pvt Ltd	LR140	Total Protein Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1088571	Allied Biotechnology India Pvt Ltd	LR141	Total Albumin Kit For Automated Analyser			Deleted
1088571	Allied Biotechnology India Pvt Ltd	LR142	Total Albumin Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1088571	Allied Biotechnology India Pvt Ltd	LR143	Amylase Kit (mono vial) For Automated Analyser			Deleted
1088571	Allied Biotechnology India Pvt Ltd	LR144	Amylase Kit (mono vial) For Semi Automated Analyser	Accepted	Accepted	Accepted
	25					
1058454	Alpine Biomedicals Pvt Ltd	LR116	HBsAg Card Test	Accepted	Accepted	Accepted
1058454	Alpine Biomedicals Pvt Ltd	LR125	Pregnancy Card Test	Accepted	Accepted	Accepted
1058454	Alpine Biomedicals Pvt Ltd	LR145	Anti HCV Kit	Accepted	Accepted	Accepted
1058454	Alpine Biomedicals Pvt Ltd	LR165	Malaria RDT Rapid Card Test	Accepted	Accepted	Accepted
	4					
1058061	Astam Diagnostics Pvt Ltd	LR116	HBsAg Card Test	Accepted	Rejected	Rejected

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1058061	Astam Diagnostics Pvt Ltd	LR125	Pregnancy Card Test	Rejected	Accepted	Rejected
1058061	Astam Diagnostics Pvt Ltd	LR136	Urine - Sugar / Albumin Strips	Accepted	Rejected	Rejected
1058061	Astam Diagnostics Pvt Ltd	LR137	Urine Multi Strips	Rejected	Rejected	Rejected
1058061	Astam Diagnostics Pvt Ltd	LR145	Anti HCV Kit	Rejected	Rejected	Rejected
1058061	Astam Diagnostics Pvt Ltd	LR152	Troponin I Kit	Accepted	Rejected	Rejected
	6					
1084158	ASV Remedies (India)	LR078	Drapkin's Reagent	Accepted	Accepted	Accepted
1084158	ASV Remedies (India)	LR094	Alanine Amino Transferase (SGPT) Kit	Accepted	Accepted	Accepted
1084158	ASV Remedies (India)	LR096	Alkaline Phosphatase Kit For Semi Automated Analyser	Rejected	Accepted	Rejected
1084158	ASV Remedies (India)	LR101	Aspartate Transaminase (SGOT) Kit - Semi Automated Analyser	Accepted	Accepted	Accepted
1084158	ASV Remedies (India)	LR103	Bilirubin Test Kit (Direct) for Semi Automated Analyser	Rejected	Accepted	Rejected
1084158	ASV Remedies (India)	LR105	Bilirubin Test Kit (Total) For Semi Automated Analyser	Rejected	Accepted	Rejected
1084158	ASV Remedies (India)	LR107	Cholesterol Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1084158	ASV Remedies (India)	LR110	Laboratory Kits Creatinine Test Kit	Accepted	Accepted	Accepted
1084158	ASV Remedies (India)	LR115	Glucose Test Kit for Semi Automated Analyser	Accepted	Accepted	Accepted
1084158	ASV Remedies (India)	LR119	HDL Cholesterol Kit For Semi Automated Analyser	No Sample	Rejected	Rejected
1084158	ASV Remedies (India)	LR131	Triglycerides Test Kit For Semi Automated Analyser	Rejected	Accepted	Rejected
1084158	ASV Remedies (India)	LR133	Urea Test Kit For Semi Automated Analyser	Rejected	Accepted	Rejected
1084158	ASV Remedies (India)	LR135	Uric Acid Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1084158	ASV Remedies (India)	LR140	Total Protein Kit For Semi Automated Analyser	Accepted	Accepted	Accepted

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1084158	ASV Remedies (India)	LR142	Total Albumin Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1084158	ASV Remedies (India)	LR144	Amylase Kit (mono vial) For Semi Automated Analyser	Accepted	Accepted	Accepted
1084158	ASV Remedies (India)	LR165	Malaria RDT Rapid Card Test	Rejected	Accepted	Rejected
	17					
1061448	Avecon Healthcare Pvt Ltd	LR098	Anti-HCV ELISA Kit	Accepted	Rejected	Rejected
1061448	Avecon Healthcare Pvt Ltd	LR116	HBsAg Card Test	Accepted	Accepted	Accepted
1061448	Avecon Healthcare Pvt Ltd	LR117	HBsAg ELISA Kit	Rejected	Rejected	Rejected
1061448	Avecon Healthcare Pvt Ltd	LR145	Anti HCV Kit	Rejected	Accepted	Rejected
1061448	Avecon Healthcare Pvt Ltd	LR165	Malaria RDT Rapid Card Test	No Sample	Accepted	Rejected
	5					
1059190	Best Surgicals	LR113	Dengue NS1 ELISA Kit	Accepted	Rejected	Rejected
	1					
1061441	Biogenix Inc Pvt Ltd	LR094	Alanine Amino Transferase (SGPT) Kit	Rejected	Accepted	Rejected
1061441	Biogenix Inc Pvt Ltd	LR096	Alkaline Phosphatase Kit For Semi Automated Analyser	Rejected	Accepted	Rejected
1061441	Biogenix Inc Pvt Ltd	LR097	Anti Streptolysin-O Kit	Accepted	Accepted	Accepted
1061441	Biogenix Inc Pvt Ltd	LR101	Aspartate Transaminase (SGOT) Kit - Semi Automated Analyser	Accepted	Accepted	Accepted
1061441	Biogenix Inc Pvt Ltd	LR107	Cholesterol Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1061441	Biogenix Inc Pvt Ltd	LR108	C-Reactive Protein(CRP) Test Kit-Rapid	Rejected	Accepted	Rejected
1061441	Biogenix Inc Pvt Ltd	LR110	Laboratory Kits Creatinine Test Kit	Accepted	Accepted	Accepted
1061441	Biogenix Inc Pvt Ltd	LR112	Dengue IgM ELISA Kit	Rejected	Accepted	Rejected
1061441	Biogenix Inc Pvt Ltd	LR113	Dengue NS1 ELISA Kit	Accepted	Accepted	Accepted

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1061441	Biogenix Inc Pvt Ltd	LR115	Glucose Test Kit for Semi Automated Analyser	Rejected	Accepted	Rejected
1061441	Biogenix Inc Pvt Ltd	LR116	HBsAg Card Test	Accepted	Accepted	Accepted
1061441	Biogenix Inc Pvt Ltd	LR119	HDL Cholesterol Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1061441	Biogenix Inc Pvt Ltd	LR120	Hepatitis A IgM ELISA Kit	Rejected	Accepted	Rejected
1061441	Biogenix Inc Pvt Ltd	LR121	Hepatitis E IgM ELISA Kit	Rejected	Accepted	Rejected
1061441	Biogenix Inc Pvt Ltd	LR125	Pregnancy Card Test	Rejected	Accepted	Rejected
1061441	Biogenix Inc Pvt Ltd	LR126	Rheumatoid Factor (RF) Test Kit - Rapid	Accepted	Accepted	Accepted
1061441	Biogenix Inc Pvt Ltd	LR128	Total T3 Test Kit by ELISA	Rejected	Accepted	Rejected
1061441	Biogenix Inc Pvt Ltd	LR129	TSH Test Kit by ELISA	Accepted	Accepted	Accepted
1061441	Biogenix Inc Pvt Ltd	LR131	Triglycerides Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1061441	Biogenix Inc Pvt Ltd	LR133	Urea Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1061441	Biogenix Inc Pvt Ltd	LR135	Uric Acid Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1061441	Biogenix Inc Pvt Ltd	LR136	Urine - Sugar / Albumin Strips	Accepted	Accepted	Accepted
1061441	Biogenix Inc Pvt Ltd	LR137	Urine Multi Strips	Rejected	Accepted	Rejected
1061441	Biogenix Inc Pvt Ltd	LR140	Total Protein Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1061441	Biogenix Inc Pvt Ltd	LR142	Total Albumin Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1061441	Biogenix Inc Pvt Ltd	LR145	Anti HCV Kit	Rejected	Accepted	Rejected
1061441	Biogenix Inc Pvt Ltd	LR151	ELISA T4 96 Test	Rejected	Accepted	Rejected
1061441	Biogenix Inc Pvt Ltd	LR152	Troponin I Kit	Accepted	Accepted	Accepted
1061441	Biogenix Inc Pvt Ltd	LR165	Malaria RDT Rapid Card Test	Rejected	Accepted	Rejected
1061441	Biogenix Inc Pvt Ltd	LR183	Micropipette Tips - Small	Rejected	Accepted	Rejected
1061441	Biogenix Inc Pvt Ltd	LR184	Micropipette Tips - Large	Rejected	Accepted	Rejected

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
	31					
1061859	Biolab Diagnostics (I) Pvt Ltd	LR078	Drapkin's Reagent	Accepted	Accepted	Accepted
1061859	Biolab Diagnostics (I) Pvt Ltd	LR079	Fluoride Solution			Deleted
1061859	Biolab Diagnostics (I) Pvt Ltd	LR080	Isoprophyl Alcohol(Surgical Spirit)	Rejected	Accepted	Rejected
1061859	Biolab Diagnostics (I) Pvt Ltd	LR081	Lugol's Iodine	Accepted	Accepted	Accepted
1061859	Biolab Diagnostics (I) Pvt Ltd	LR084	Sodium Hypochlorite Solution - 5%	Rejected	Accepted	Rejected
1061859	Biolab Diagnostics (I) Pvt Ltd	LR085	Acetic Acid - 5%			Deleted
1061859	Biolab Diagnostics (I) Pvt Ltd	LR086	Distilled Water	Rejected	Accepted	Rejected
1061859	Biolab Diagnostics (I) Pvt Ltd	LR087	JSB 1 and 2	Accepted	Accepted	Accepted
1061859	Biolab Diagnostics (I) Pvt Ltd	LR088	Leishman's Stain	Accepted	Accepted	Accepted
1061859	Biolab Diagnostics (I) Pvt Ltd	LR096	Alkaline Phosphatase Kit For Semi Automated Analyser	Rejected	Accepted	Rejected
1061859	Biolab Diagnostics (I) Pvt Ltd	LR097	Anti Streptolysin-O Kit	Accepted	Accepted	Accepted
1061859	Biolab Diagnostics (I) Pvt Ltd	LR101	Aspartate Transaminase (SGOT) Kit - Semi Automated Analyser	Accepted	Accepted	Accepted
1061859	Biolab Diagnostics (I) Pvt Ltd	LR103	Bilirubin Test Kit (Direct) for Semi Automated Analyser	Accepted	Accepted	Accepted
1061859	Biolab Diagnostics (I) Pvt Ltd	LR105	Bilirubin Test Kit (Total) For Semi Automated Analyser	Rejected	Accepted	Rejected
1061859	Biolab Diagnostics (I) Pvt Ltd	LR107	Cholesterol Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1061859	Biolab Diagnostics (I) Pvt Ltd	LR108	C-Reactive Protein(CRP) Test Kit-Rapid	Rejected	Accepted	Rejected
1061859	Biolab Diagnostics (I) Pvt Ltd	LR110	Laboratory Kits Creatinine Test Kit	Rejected	Accepted	Rejected
1061859	Biolab Diagnostics (I) Pvt Ltd	LR115	Glucose Test Kit for Semi Automated Analyser	Rejected	Accepted	Rejected
1061859	Biolab Diagnostics (I) Pvt Ltd	LR116	HBsAg Card Test	Accepted	Accepted	Accepted
1061859	Biolab Diagnostics (I) Pvt Ltd	LR119	HDL Cholesterol Kit For Semi Automated	Accepted	Accepted	Accepted

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
			Analyser			
1061859	Biolab Diagnostics (I) Pvt Ltd	LR125	Pregnancy Card Test	Accepted	Accepted	Accepted
1061859	Biolab Diagnostics (I) Pvt Ltd	LR126	Rheumatoid Factor (RF) Test Kit - Rapid	Rejected	Accepted	Rejected
1061859	Biolab Diagnostics (I) Pvt Ltd	LR131	Triglycerides Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1061859	Biolab Diagnostics (I) Pvt Ltd	LR133	Urea Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1061859	Biolab Diagnostics (I) Pvt Ltd	LR135	Uric Acid Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1061859	Biolab Diagnostics (I) Pvt Ltd	LR136	Urine - Sugar / Albumin Strips	Accepted	Accepted	Accepted
1061859	Biolab Diagnostics (I) Pvt Ltd	LR138	Stained Salmonella Antigen Test Kit (WIDAL)	Accepted	Accepted	Accepted
1061859	Biolab Diagnostics (I) Pvt Ltd	LR140	Total Protein Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1061859	Biolab Diagnostics (I) Pvt Ltd	LR142	Total Albumin Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1061859	Biolab Diagnostics (I) Pvt Ltd	LR144	Amylase Kit (mono vial) For Semi Automated Analyser	Rejected	Accepted	Rejected
1061859	Biolab Diagnostics (I) Pvt Ltd	LR145	Anti HCV Kit	Accepted	Accepted	Accepted
1061859	Biolab Diagnostics (I) Pvt Ltd	LR146	Grams Stain Reagent Kit	Rejected	Accepted	Rejected
1061859	Biolab Diagnostics (I) Pvt Ltd	LR165	Malaria RDT Rapid Card Test	Rejected	Accepted	Rejected
1061859	Biolab Diagnostics (I) Pvt Ltd	LR173	Fluoride Tube with Grey Colour Cap	No Sample	Accepted	Rejected
1061859	Biolab Diagnostics (I) Pvt Ltd	LR178	K2 EDTA Tube - 2400 Tubes	No Sample	Accepted	Rejected
1061859	Biolab Diagnostics (I) Pvt Ltd	LR179	K2 EDTA Tube - 100 Nos	No Sample	Accepted	Rejected
1061859	Biolab Diagnostics (I) Pvt Ltd	LR185	Plain Tube with Red Colour Cap	No Sample	Accepted	Rejected
1061859	Biolab Diagnostics (I) Pvt Ltd	LR187	Sodium Citrate Tube with Black Colour Cap (ESR)	No Sample	Accepted	Rejected
1061859	Biolab Diagnostics (I) Pvt Ltd	LR207	0.109M (3.2%) Sodium Citrate with Hemogard Closure - 1.8ml	Rejected	Accepted	Rejected
1061859	Biolab Diagnostics (I) Pvt Ltd	LR208	0.109M(3.2%) Sodium Citrate with Hemogard Closure - 2.7 ml	No Sample	Accepted	Rejected

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
	40					
1058752	Century Pharma and Surgicals	LR075	Absolute Alcohol AR - 500ml	No Sample	Accepted	Rejected
1058752	Century Pharma and Surgicals	LR078	Drapkin's Reagent	Rejected	Accepted	Rejected
1058752	Century Pharma and Surgicals	LR080	Isoprophyl Alcohol(Surgical Spirit)	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR081	Lugol's Iodine	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR084	Sodium Hypochlorite Solution - 5%	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR085	Acetic Acid - 5%			Deleted
1058752	Century Pharma and Surgicals	LR086	Distilled Water	Rejected	Accepted	Rejected
1058752	Century Pharma and Surgicals	LR087	JSB 1 and 2	No Sample	Accepted	Rejected
1058752	Century Pharma and Surgicals	LR088	Leishman's Stain	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR089	Mac Conkey Agar Media	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR090	Blood Agar	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR091	UTI Agar	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR092	SS Agar	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR094	Alanine Amino Transferase (SGPT) Kit	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR096	Alkaline Phosphatase Kit For Semi Automated Analyser	Rejected	Accepted	Rejected
1058752	Century Pharma and Surgicals	LR097	Anti Streptolysin-O Kit	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR098	Anti-HCV ELISA Kit	No Sample	Accepted	Rejected
1058752	Century Pharma and Surgicals	LR101	Aspartate Transaminase (SGOT) Kit - Semi Automated Analyser	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR103	Bilirubin Test Kit (Direct) for Semi Automated Analyser	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR105	Bilirubin Test Kit (Total) For Semi Automated Analyser	Rejected	Accepted	Rejected

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1058752	Century Pharma and Surgicals	LR107	Cholesterol Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR108	C-Reactive Protein(CRP) Test Kit-Rapid	Rejected	Accepted	Rejected
1058752	Century Pharma and Surgicals	LR110	Laboratory Kits Creatinine Test Kit	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR112	Dengue IgM ELISA Kit	Rejected	Accepted	Rejected
1058752	Century Pharma and Surgicals	LR113	Dengue NS1 ELISA Kit	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR115	Glucose Test Kit for Semi Automated Analyser	Rejected	Accepted	Rejected
1058752	Century Pharma and Surgicals	LR116	HBsAg Card Test	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR117	HBsAg ELISA Kit	No Sample	Accepted	Rejected
1058752	Century Pharma and Surgicals	LR119	HDL Cholesterol Kit For Semi Automated Analyser	Rejected	Accepted	Rejected
1058752	Century Pharma and Surgicals	LR120	Hepatitis A IgM ELISA Kit	Rejected	Accepted	Rejected
1058752	Century Pharma and Surgicals	LR121	Hepatitis E IgM ELISA Kit	Rejected	Accepted	Rejected
1058752	Century Pharma and Surgicals	LR123	Microalbuminuria Kit for Semi Automated Analyser	Rejected	Accepted	Rejected
1058752	Century Pharma and Surgicals	LR125	Pregnancy Card Test	Rejected	Accepted	Rejected
1058752	Century Pharma and Surgicals	LR126	Rheumatoid Factor (RF) Test Kit - Rapid	Rejected	Accepted	Rejected
1058752	Century Pharma and Surgicals	LR128	Total T3 Test Kit by ELISA	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR129	TSH Test Kit by ELISA	Rejected	Accepted	Rejected
1058752	Century Pharma and Surgicals	LR131	Triglycerides Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR132	Urea Test Kit For Automated Analyser			Deleted
1058752	Century Pharma and Surgicals	LR133	Urea Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR135	Uric Acid Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR136	Urine - Sugar / Albumin Strips	Rejected	Accepted	Rejected

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1058752	Century Pharma and Surgicals	LR137	Urine Multi Strips	No Sample	Accepted	Rejected
1058752	Century Pharma and Surgicals	LR138	Stained Salmonella Antigen Test Kit (WIDAL)	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR140	Total Protein Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR142	Total Albumin Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR144	Amylase Kit (mono vial) For Semi Automated Analyser	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR145	Anti HCV Kit	Rejected	Accepted	Rejected
1058752	Century Pharma and Surgicals	LR146	Grams Stain Reagent Kit	No Sample	Accepted	Rejected
1058752	Century Pharma and Surgicals	LR150	PT INR Kit	No Sample	Accepted	Rejected
1058752	Century Pharma and Surgicals	LR151	ELISA T4 96 Test	No Sample	Accepted	Rejected
1058752	Century Pharma and Surgicals	LR152	Troponin I Kit	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR165	Malaria RDT Rapid Card Test	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR166	Disposable Micro Tips for Micro Plate Reader Elan 30S			Deleted
1058752	Century Pharma and Surgicals	LR169	Cavity Slide	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR171	Disposable Cup - 300ml Capacity	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR172	Disposable Petri Plates-Sterile	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR173	Fluoride Tube with Grey Colour Cap	No Sample	Accepted	Rejected
1058752	Century Pharma and Surgicals	LR174	Glass Marking Pencil - White	Rejected	Accepted	Rejected
1058752	Century Pharma and Surgicals	LR175	Glass Slides	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR176	Glass Test Tubes	Rejected	Accepted	Rejected
1058752	Century Pharma and Surgicals	LR177	Glucose Powder - 75gms	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR178	K2 EDTA Tube - 2400 Tubes	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR179	K2 EDTA Tube - 100 Nos	Accepted	Accepted	Accepted

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1058752	Century Pharma and Surgicals	LR180	Micro Tip Box - Large	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR181	Micro Tip Box - Small	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR182	Microcentrifuge Tube	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR183	Micropipette Tips - Small	Rejected	Accepted	Rejected
1058752	Century Pharma and Surgicals	LR184	Micropipette Tips - Large	Rejected	Accepted	Rejected
1058752	Century Pharma and Surgicals	LR185	Plain Tube with Red Colour Cap	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR186	Sodium Citrate Tube with Black Colour Cap (ESR)	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR187	Sodium Citrate Tube with Black Colour Cap (ESR)	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR189	Capillary Tube Glass (Clotting Time)	Rejected	Accepted	Rejected
1058752	Century Pharma and Surgicals	LR190	Plastic Bins	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR191	Serum Vials	Rejected	Accepted	Rejected
1058752	Century Pharma and Surgicals	LR192	Sharp Container-White	Rejected	Accepted	Rejected
1058752	Century Pharma and Surgicals	LR193	Sputum Cup-Sterile	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR194	Stool Container-Non Sterile	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR195	Stool Container-Sterile	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR196	Test Tube Stand-PP-with 96 Holes	Rejected	Accepted	Rejected
1058752	Century Pharma and Surgicals	LR197	Test Tube(Plastic) / RIA Vial	Rejected	Accepted	Rejected
1058752	Century Pharma and Surgicals	LR198	Throat Swab in Plastic Tube-Sterile	Rejected	Accepted	Rejected
1058752	Century Pharma and Surgicals	LR199	Throat Swab in Wooden Stick-Sterile	Rejected	Accepted	Rejected
1058752	Century Pharma and Surgicals	LR200	Tissue Paper Roll	No Sample	Accepted	Rejected
1058752	Century Pharma and Surgicals	LR201	Tourniquet	Rejected	Accepted	Rejected
1058752	Century Pharma and Surgicals	LR202	Urine Container - Non Sterile	Accepted	Accepted	Accepted

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1058752	Century Pharma and Surgicals	LR203	Hand Wash Solution	Rejected	Accepted	Rejected
1058752	Century Pharma and Surgicals	LR204	Plain Tube with Silica Clot Activator with Hemoguard Closure	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR205	Lithium Heparin with Hemogard Closure - 4ml	Accepted	Accepted	Accepted
1058752	Century Pharma and Surgicals	LR206	Sodium Fluoride and EDTA with Hemogard Closure - 2ml	Accepted	Accepted	Accepted
	89					
1058411	Esteem Scientific Products	LR153	Troponin T Kit	Accepted	Accepted	Accepted
1058411	Esteem Scientific Products	LR154	POC Quantitative Tronopin T Kit for Roche Model Cobas 232	Accepted	Accepted	Accepted
1058411	Esteem Scientific Products	LR155	POC Quantitative D-Dimer Kit for Roche Model Cobas h232	Accepted	Accepted	Accepted
1058411	Esteem Scientific Products	LR156	POC Quantitative NT-Pro BNP kit for Roche Model Cobas h232	Accepted	Accepted	Accepted
1058411	Esteem Scientific Products	LR160	Blood Gas Analyser Solution S1 Rinse Solution	Accepted	Accepted	Accepted
1058411	Esteem Scientific Products	LR161	Blood Gas Analyser Solution Fluid Pack S2	Accepted	Accepted	Accepted
1058411	Esteem Scientific Products	LR162	Blood Gas Analyser - Calibration Solution Fluid Pack S3	Accepted	Accepted	Accepted
1058411	Esteem Scientific Products	LR163	Blood Gas Analyser Solution MSS Cassette GLU/LAC	Accepted	Accepted	Accepted
1058411	Esteem Scientific Products	LR164	Snap Pack for Electrolyte Analyzer for ROCHE-Closed System	Accepted	Accepted	Accepted
	9					
1062228	Evergreen Enterprises	LR077	Concentrated Sulphuric Acid	Rejected	Accepted	Rejected
1062228	Evergreen Enterprises	LR079	Fluoride Solution			Deleted
1062228	Evergreen Enterprises	LR080	Isoprophyl Alcohol(Surgical Spirit)	Accepted	Accepted	Accepted
1062228	Evergreen Enterprises	LR081	Lugol's Iodine	Accepted	Accepted	Accepted
1062228	Evergreen Enterprises	LR083	Potassium Hydroxide Solution - 20%	Accepted	Accepted	Accepted

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1062228	Evergreen Enterprises	LR084	Sodium Hypochlorite Solution - 5%	Accepted	Accepted	Accepted
1062228	Evergreen Enterprises	LR085	Acetic Acid - 5%			Deleted
1062228	Evergreen Enterprises	LR086	Distilled Water	Accepted	Accepted	Accepted
1062228	Evergreen Enterprises	LR088	Leishman's Stain	Accepted	Accepted	Accepted
1062228	Evergreen Enterprises	LR089	Mac Conkey Agar Media	Accepted	Accepted	Accepted
1062228	Evergreen Enterprises	LR090	Blood Agar	Accepted	Accepted	Accepted
1062228	Evergreen Enterprises	LR091	UTI Agar	Accepted	Accepted	Accepted
1062228	Evergreen Enterprises	LR092	SS Agar	Accepted	Accepted	Accepted
1062228	Evergreen Enterprises	LR093	Alanine Amino Transferase (SGPT) Kit			Deleted
1062228	Evergreen Enterprises	LR098	Anti-HCV ELISA Kit	Accepted	Accepted	Accepted
1062228	Evergreen Enterprises	LR104	Bilirubin Test Kit (Total) For Automated Analyser			Deleted
1062228	Evergreen Enterprises	LR112	Dengue IgM ELISA Kit	Accepted	Accepted	Accepted
1062228	Evergreen Enterprises	LR113	Dengue NS1 ELISA Kit	Accepted	Accepted	Accepted
1062228	Evergreen Enterprises	LR120	Hepatitis A IgM ELISA Kit	Rejected	Accepted	Rejected
1062228	Evergreen Enterprises	LR121	Hepatitis E IgM ELISA Kit	Accepted	Accepted	Accepted
1062228	Evergreen Enterprises	LR124	PA Coliform Test Kits	No Sample	Accepted	Rejected
1062228	Evergreen Enterprises	LR128	Total T3 Test Kit by ELISA	Accepted	Accepted	Accepted
1062228	Evergreen Enterprises	LR129	TSH Test Kit by ELISA	Accepted	Accepted	Accepted
1062228	Evergreen Enterprises	LR146	Grams Stain Reagent Kit	Rejected	Accepted	Rejected
1062228	Evergreen Enterprises	LR151	ELISA T4 96 Test	Rejected	Accepted	Rejected
1062228	Evergreen Enterprises	LR153	Troponin T Kit	Accepted	Accepted	Accepted
1062228	Evergreen Enterprises	LR165	Malaria RDT Rapid Card Test	Accepted	Accepted	Accepted
1062228	Evergreen Enterprises	LR168	Cary-Blair Medium- Sterile with Swab	Accepted	Accepted	Accepted

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1062228	Evergreen Enterprises	LR172	Disposable Petri Plates-Sterile	No Sample	Accepted	Rejected
1062228	Evergreen Enterprises	LR173	Fluoride Tube with Grey Colour Cap	Accepted	Accepted	Accepted
1062228	Evergreen Enterprises	LR178	K2 EDTA Tube - 2400 Tubes	Accepted	Accepted	Accepted
1062228	Evergreen Enterprises	LR179	K2 EDTA Tube - 100 Nos	Accepted	Accepted	Accepted
1062228	Evergreen Enterprises	LR182	Microcentrifuge Tube	No Sample	Accepted	Rejected
1062228	Evergreen Enterprises	LR183	Micropipette Tips - Small	Rejected	Accepted	Rejected
1062228	Evergreen Enterprises	LR184	Micropipette Tips - Large	Rejected	Accepted	Rejected
1062228	Evergreen Enterprises	LR185	Plain Tube with Red Colour Cap	Accepted	Accepted	Accepted
1062228	Evergreen Enterprises	LR186	Sodium Citrate Tube with Black Colour Cap (ESR)	Accepted	Accepted	Accepted
1062228	Evergreen Enterprises	LR187	Sodium Citrate Tube with Black Colour Cap (ESR)	Accepted	Accepted	Accepted
1062228	Evergreen Enterprises	LR191	Serum Vials	Accepted	Accepted	Accepted
1062228	Evergreen Enterprises	LR193	Sputum Cup-Sterile	Accepted	Rejected	Rejected
1062228	Evergreen Enterprises	LR194	Stool Container-Non Sterile	Accepted	Accepted	Accepted
1062228	Evergreen Enterprises	LR195	Stool Container-Sterile	Accepted	Accepted	Accepted
1062228	Evergreen Enterprises	LR197	Test Tube(Plastic) / RIA Vial	No Sample	Accepted	Rejected
1062228	Evergreen Enterprises	LR198	Throat Swab in Plastic Tube-Sterile	Accepted	Accepted	Accepted
1062228	Evergreen Enterprises	LR202	Urine Container - Non Sterile	Accepted	Accepted	Accepted
1062228	Evergreen Enterprises	LR203	Hand Wash Solution	Rejected	Accepted	Rejected
1062228	Evergreen Enterprises	LR204	Plain Tube with Silica Clot Activator with Hemoguard Closure	Accepted	Accepted	Accepted
1062228	Evergreen Enterprises	LR205	Lithium Heparin with Hemogard Closure - 4ml	Accepted	Accepted	Accepted
1062228	Evergreen Enterprises	LR206	Sodium Fluoride and EDTA with Hemogard Closure - 2ml	Accepted	Accepted	Accepted

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1062228	Evergreen Enterprises	LR207	0.109M (3.2%) Sodium Citrate with Hemogard Closure - 1.8ml	Accepted	Accepted	Accepted
1062228	Evergreen Enterprises	LR208	0.109M(3.2%) Sodium Citrate with Hemogard Closure - 2.7 ml	Rejected	Accepted	Rejected
1062228	Evergreen Enterprises	LR209	Serum Separation Gel Tubes with Hemogard Closure - 3.5ml	Accepted	Accepted	Accepted
1062228	Evergreen Enterprises	LR210	Serum Separation Gel Tubes with Hemogard Closure - 5ml	Accepted	Accepted	Accepted
1062228	Evergreen Enterprises	LR213	Single use Universal Holder	No Sample	Accepted	Rejected
	54					
1088414	Ganapathy Trading Company	LR075	Absolute Alcohol AR - 500ml	Accepted	Accepted	Accepted
1088414	Ganapathy Trading Company	LR076	Concentrated Hydrochloric Acid (HCl)	Accepted	Accepted	Accepted
1088414	Ganapathy Trading Company	LR077	Concentrated Sulphuric Acid	Rejected	Accepted	Rejected
1088414	Ganapathy Trading Company	LR078	Drapkin's Reagent	Rejected	Accepted	Rejected
1088414	Ganapathy Trading Company	LR080	Isoprophyl Alcohol(Surgical Spirit)	Accepted	Accepted	Accepted
1088414	Ganapathy Trading Company	LR081	Lugol's Iodine	Accepted	Accepted	Accepted
1088414	Ganapathy Trading Company	LR083	Potassium Hydroxide Solution - 20%	Accepted	Accepted	Accepted
1088414	Ganapathy Trading Company	LR084	Sodium Hypochlorite Solution - 5%	Rejected	Accepted	Rejected
1088414	Ganapathy Trading Company	LR085	Acetic Acid - 5%			Deleted
1088414	Ganapathy Trading Company	LR086	Distilled Water	Accepted	Accepted	Accepted
1088414	Ganapathy Trading Company	LR087	JSB 1 and 2	Rejected	Accepted	Rejected
1088414	Ganapathy Trading Company	LR088	Leishman's Stain	Rejected	Accepted	Rejected
1088414	Ganapathy Trading Company	LR089	Mac Conkey Agar Media	Accepted	Accepted	Accepted
1088414	Ganapathy Trading Company	LR090	Blood Agar	Accepted	Accepted	Accepted
1088414	Ganapathy Trading Company	LR092	SS Agar	Rejected	Accepted	Rejected

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1088414	Ganapathy Trading Company	LR146	Grams Stain Reagent Kit	Rejected	Accepted	Rejected
1088414	Ganapathy Trading Company	LR169	Cavity Slide	Accepted	Accepted	Accepted
1088414	Ganapathy Trading Company	LR170	Cover Glass			Deleted
1088414	Ganapathy Trading Company	LR172	Disposable Petri Plates-Sterile	Accepted	Accepted	Accepted
1088414	Ganapathy Trading Company	LR175	Glass Slides	Accepted	Accepted	Accepted
1088414	Ganapathy Trading Company	LR176	Glass Test Tubes	Accepted	Accepted	Accepted
1088414	Ganapathy Trading Company	LR180	Micro Tip Box - Large	Rejected	Accepted	Rejected
1088414	Ganapathy Trading Company	LR181	Micro Tip Box - Small	Accepted	Accepted	Accepted
1088414	Ganapathy Trading Company	LR182	Microcentrifuge Tube	Rejected	Accepted	Rejected
1088414	Ganapathy Trading Company	LR183	Micropipette Tips - Small	Rejected	Accepted	Rejected
1088414	Ganapathy Trading Company	LR184	Micropipette Tips - Large	Rejected	Accepted	Rejected
1088414	Ganapathy Trading Company	LR186	Sodium Citrate Tube with Black Colour Cap (ESR)	No Sample	Accepted	Rejected
1088414	Ganapathy Trading Company	LR188	Filter Papers (BT & CT)	Accepted	Accepted	Accepted
1088414	Ganapathy Trading Company	LR196	Test Tube Stand-PP-with 96 Holes	Rejected	Accepted	Rejected
1088414	Ganapathy Trading Company	LR197	Test Tube(Plastic) / RIA Vial	Rejected	Accepted	Rejected
	30					
1058850	General Instruments	LR078	Drapkin's Reagent	Accepted	Rejected	Rejected
1058850	General Instruments	LR094	Alanine Amino Transferase (SGPT) Kit	Accepted	Rejected	Rejected
1058850	General Instruments	LR096	Alkaline Phosphatase Kit For Semi Automated Analyser	Rejected	Rejected	Rejected
1058850	General Instruments	LR101	Aspartate Transaminase (SGOT) Kit - Semi Automated Analyser	Accepted	Rejected	Rejected
1058850	General Instruments	LR103	Bilirubin Test Kit (Direct) for Semi Automated Analyser	Rejected	Rejected	Rejected

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1058850	General Instruments	LR105	Bilirubin Test Kit (Total) For Semi Automated Analyser	Rejected	Rejected	Rejected
1058850	General Instruments	LR107	Cholesterol Test Kit For Semi Automated Analyser	Rejected	Rejected	Rejected
1058850	General Instruments	LR110	Laboratory Kits Creatinine Test Kit	Rejected	Rejected	Rejected
1058850	General Instruments	LR112	Dengue IgM ELISA Kit	Rejected	Accepted	Rejected
1058850	General Instruments	LR113	Dengue NS1 ELISA Kit	Accepted	Accepted	Accepted
1058850	General Instruments	LR115	Glucose Test Kit for Semi Automated Analyser	Accepted	Rejected	Rejected
1058850	General Instruments	LR119	HDL Cholesterol Kit For Semi Automated Analyser	Rejected	Rejected	Rejected
1058850	General Instruments	LR123	Microalbuminuria Kit for Semi Automated Analyser	Accepted	Accepted	Accepted
1058850	General Instruments	LR127	Scrub Typhus IgM ELISA Kit	Accepted	Accepted	Accepted
1058850	General Instruments	LR131	Triglycerides Test Kit For Semi Automated Analyser	Accepted	Rejected	Rejected
1058850	General Instruments	LR133	Urea Test Kit For Semi Automated Analyser	Rejected	Rejected	Rejected
1058850	General Instruments	LR135	Uric Acid Test Kit For Semi Automated Analyser	Accepted	Rejected	Rejected
1058850	General Instruments	LR140	Total Protein Kit For Semi Automated Analyser	Rejected	Rejected	Rejected
1058850	General Instruments	LR142	Total Albumin Kit For Semi Automated Analyser	Rejected	Rejected	Rejected
1058850	General Instruments	LR144	Amylase Kit (mono vial) For Semi Automated Analyser	Accepted	Accepted	Accepted
	20					
1088228	Genuine Biosystem Pvt Ltd	LR078	Drapkin's Reagent	Rejected	Accepted	Rejected
1088228	Genuine Biosystem Pvt Ltd	LR094	Alanine Amino Transferase (SGPT) Kit	Rejected	Accepted	Rejected
1088228	Genuine Biosystem Pvt Ltd	LR096	Alkaline Phosphatase Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1088228	Genuine Biosystem Pvt Ltd	LR097	Anti Streptolysin-O Kit	Accepted	Accepted	Accepted

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1088228	Genuine Biosystem Pvt Ltd	LR098	Anti-HCV ELISA Kit	Rejected	Accepted	Rejected
1088228	Genuine Biosystem Pvt Ltd	LR101	Aspartate Transaminase (SGOT) Kit - Semi Automated Analyser	Accepted	Accepted	Accepted
1088228	Genuine Biosystem Pvt Ltd	LR103	Bilirubin Test Kit (Direct) for Semi Automated Analyser	Accepted	Accepted	Accepted
1088228	Genuine Biosystem Pvt Ltd	LR105	Bilirubin Test Kit (Total) For Semi Automated Analyser	Rejected	Accepted	Rejected
1088228	Genuine Biosystem Pvt Ltd	LR107	Cholesterol Test Kit For Semi Automated Analyser	Rejected	Accepted	Rejected
1088228	Genuine Biosystem Pvt Ltd	LR110	Laboratory Kits Creatinine Test Kit	Accepted	Accepted	Accepted
1088228	Genuine Biosystem Pvt Ltd	LR112	Dengue IgM ELISA Kit	No Sample	Accepted	Rejected
1088228	Genuine Biosystem Pvt Ltd	LR113	Dengue NS1 ELISA Kit	Accepted	Accepted	Accepted
1088228	Genuine Biosystem Pvt Ltd	LR115	Glucose Test Kit for Semi Automated Analyser	Rejected	Rejected	Rejected
1088228	Genuine Biosystem Pvt Ltd	LR116	HBsAg Card Test	Accepted	Rejected	Rejected
1088228	Genuine Biosystem Pvt Ltd	LR117	HBsAg ELISA Kit	Accepted	Accepted	Accepted
1088228	Genuine Biosystem Pvt Ltd	LR119	HDL Cholesterol Kit For Semi Automated Analyser	Rejected	Accepted	Rejected
1088228	Genuine Biosystem Pvt Ltd	LR121	Hepatitis E IgM ELISA Kit	No Sample	Rejected	Rejected
1088228	Genuine Biosystem Pvt Ltd	LR123	Microalbuminuria Kit for Semi Automated Analyser	Rejected	Accepted	Rejected
1088228	Genuine Biosystem Pvt Ltd	LR125	Pregnancy Card Test	Accepted	Rejected	Rejected
1088228	Genuine Biosystem Pvt Ltd	LR126	Rheumatoid Factor (RF) Test Kit - Rapid	Accepted	Accepted	Accepted
1088228	Genuine Biosystem Pvt Ltd	LR128	Total T3 Test Kit by ELISA	No Sample	Rejected	Rejected
1088228	Genuine Biosystem Pvt Ltd	LR129	TSH Test Kit by ELISA	No Sample	Rejected	Rejected
1088228	Genuine Biosystem Pvt Ltd	LR131	Triglycerides Test Kit For Semi Automated Analyser	Rejected	Accepted	Rejected
1088228	Genuine Biosystem Pvt Ltd	LR133	Urea Test Kit For Semi Automated Analyser	Accepted	Rejected	Rejected

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1088228	Genuine Biosystem Pvt Ltd	LR135	Uric Acid Test Kit For Semi Automated Analyser	Accepted	Rejected	Rejected
1088228	Genuine Biosystem Pvt Ltd	LR137	Urine Multi Strips	Rejected	Accepted	Rejected
1088228	Genuine Biosystem Pvt Ltd	LR138	Stained Salmonella Antigen Test Kit (WIDAL)	Accepted	Rejected	Rejected
1088228	Genuine Biosystem Pvt Ltd	LR140	Total Protein Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1088228	Genuine Biosystem Pvt Ltd	LR142	Total Albumin Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1088228	Genuine Biosystem Pvt Ltd	LR144	Amylase Kit (mono vial) For Semi Automated Analyser	Rejected	Accepted	Rejected
1088228	Genuine Biosystem Pvt Ltd	LR145	Anti HCV Kit	Rejected	Rejected	Rejected
1088228	Genuine Biosystem Pvt Ltd	LR150	PT INR Kit	Rejected	Accepted	Rejected
1088228	Genuine Biosystem Pvt Ltd	LR151	ELISA T4 96 Test	No Sample	Accepted	Rejected
1088228	Genuine Biosystem Pvt Ltd	LR152	Troponin I Kit	No Sample	Accepted	Rejected
1088228	Genuine Biosystem Pvt Ltd	LR165	Malaria RDT Rapid Card Test	Accepted	Accepted	Accepted
	35					
1062060	Jaimitra Biomed	LR075	Absolute Alcohol AR - 500ml	No Sample	Accepted	Rejected
1062060	Jaimitra Biomed	LR094	Alanine Amino Transferase (SGPT) Kit	No Sample	Accepted	Rejected
1062060	Jaimitra Biomed	LR096	Alkaline Phosphatase Kit For Semi Automated Analyser	No Sample	Accepted	Rejected
1062060	Jaimitra Biomed	LR097	Anti Streptolysin-O Kit	No Sample	Accepted	Rejected
1062060	Jaimitra Biomed	LR099	ASO Kit (Immuno Turbidometric Method)			Deleted
1062060	Jaimitra Biomed	LR101	Aspartate Transaminase (SGOT) Kit - Semi Automated Analyser	No Sample	Accepted	Rejected
1062060	Jaimitra Biomed	LR103	Bilirubin Test Kit (Direct) for Semi Automated Analyser	No Sample	Accepted	Rejected
1062060	Jaimitra Biomed	LR105	Bilirubin Test Kit (Total) For Semi Automated Analyser	No Sample	Accepted	Rejected
1062060	Jaimitra Biomed	LR107	Cholesterol Test Kit For Semi Automated	No Sample	Accepted	Rejected

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
			Analyser			
1062060	Jaimitra Biomed	LR108	C-Reactive Protein(CRP) Test Kit-Rapid	Accepted	Accepted	Accepted
1062060	Jaimitra Biomed	LR110	Laboratory Kits Creatinine Test Kit	No Sample	Accepted	Rejected
1062060	Jaimitra Biomed	LR111	C-Reactive Protein(CRP) Test Kit-Quantitative			Deleted
1062060	Jaimitra Biomed	LR112	Dengue IgM ELISA Kit	No Sample	Accepted	Rejected
1062060	Jaimitra Biomed	LR113	Dengue NS1 ELISA Kit	No Sample	Accepted	Rejected
1062060	Jaimitra Biomed	LR115	Glucose Test Kit for Semi Automated Analyser	Rejected	Rejected	Rejected
1062060	Jaimitra Biomed	LR116	HBsAg Card Test	Accepted	Rejected	Rejected
1062060	Jaimitra Biomed	LR119	HDL Cholesterol Kit For Semi Automated Analyser	No Sample	Accepted	Rejected
1062060	Jaimitra Biomed	LR120	Hepatitis A IgM ELISA Kit	Accepted	Accepted	Accepted
1062060	Jaimitra Biomed	LR121	Hepatitis E IgM ELISA Kit	Accepted	Accepted	Accepted
1062060	Jaimitra Biomed	LR125	Pregnancy Card Test	Accepted	Accepted	Accepted
1062060	Jaimitra Biomed	LR126	Rheumatoid Factor (RF) Test Kit - Rapid	No Sample	Accepted	Rejected
1062060	Jaimitra Biomed	LR127	Scrub Typhus IgM ELISA Kit	No Sample	Accepted	Rejected
1062060	Jaimitra Biomed	LR128	Total T3 Test Kit by ELISA	No Sample	Accepted	Rejected
1062060	Jaimitra Biomed	LR129	TSH Test Kit by ELISA	No Sample	Accepted	Rejected
1062060	Jaimitra Biomed	LR131	Triglycerides Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1062060	Jaimitra Biomed	LR133	Urea Test Kit For Semi Automated Analyser	No Sample	Accepted	Rejected
1062060	Jaimitra Biomed	LR135	Uric Acid Test Kit For Semi Automated Analyser	No Sample	Accepted	Rejected
1062060	Jaimitra Biomed	LR136	Urine - Sugar / Albumin Strips	No Sample	Rejected	Rejected
1062060	Jaimitra Biomed	LR137	Urine Multi Strips	Accepted	Accepted	Accepted
1062060	Jaimitra Biomed	LR138	Stained Salmonella Antigen Test Kit (WIDAL)	Accepted	Rejected	Rejected

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1062060	Jaimitra Biomed	LR140	Total Protein Kit For Semi Automated Analyser	No Sample	Rejected	Rejected
1062060	Jaimitra Biomed	LR142	Total Albumin Kit For Semi Automated Analyser	No Sample	Rejected	Rejected
1062060	Jaimitra Biomed	LR144	Amylase Kit (mono vial) For Semi Automated Analyser	No Sample	Rejected	Rejected
1062060	Jaimitra Biomed	LR145	Anti HCV Kit	No Sample	Rejected	Rejected
1062060	Jaimitra Biomed	LR151	ELISA T4 96 Test	No Sample	Rejected	Rejected
1062060	Jaimitra Biomed	LR152	Troponin I Kit	Accepted	Rejected	Rejected
1062060	Jaimitra Biomed	LR165	Malaria RDT Rapid Card Test	No Sample	Rejected	Rejected
1062060	Jaimitra Biomed	LR172	Disposable Petri Plates-Sterile	No Sample	Accepted	Rejected
1062060	Jaimitra Biomed	LR173	Fluoride Tube with Grey Colour Cap	Accepted	Rejected	Rejected
1062060	Jaimitra Biomed	LR175	Glass Slides	Accepted	Accepted	Accepted
1062060	Jaimitra Biomed	LR178	K2 EDTA Tube - 2400 Tubes	Accepted	Rejected	Rejected
1062060	Jaimitra Biomed	LR179	K2 EDTA Tube - 100 Nos	No Sample	Rejected	Rejected
1062060	Jaimitra Biomed	LR180	Micro Tip Box - Large	No Sample	Accepted	Rejected
1062060	Jaimitra Biomed	LR181	Micro Tip Box - Small	No Sample	Accepted	Rejected
1062060	Jaimitra Biomed	LR182	Microcentrifuge Tube	Accepted	Accepted	Accepted
1062060	Jaimitra Biomed	LR185	Plain Tube with Red Colour Cap	Accepted	Rejected	Rejected
1062060	Jaimitra Biomed	LR186	Sodium Citrate Tube with Black Colour Cap (ESR)	Accepted	Rejected	Rejected
1062060	Jaimitra Biomed	LR193	Sputum Cup-Sterile	Accepted	Accepted	Accepted
1062060	Jaimitra Biomed	LR194	Stool Container-Non Sterile	Accepted	Rejected	Rejected
1062060	Jaimitra Biomed	LR195	Stool Container-Sterile	Accepted	Rejected	Rejected
1062060	Jaimitra Biomed	LR197	Test Tube(Plastic) / RIA Vial	Accepted	Accepted	Accepted
1062060	Jaimitra Biomed	LR198	Throat Swab in Plastic Tube-Sterile	Rejected	Rejected	Rejected

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1062060	Jaimitra Biomed	LR199	Throat Swab in Wooden Stick-Sterile	Accepted	Rejected	Rejected
1062060	Jaimitra Biomed	LR202	Urine Container - Non Sterile	Accepted	Rejected	Rejected
	54					
1057230	Kemecos India Pvt Ltd	LR080	Isoprophyl Alcohol(Surgical Spirit)	Rejected	Accepted	Rejected
1057230	Kemecos India Pvt Ltd	LR084	Sodium Hypochlorite Solution - 5%	Accepted	Accepted	Accepted
	2					
1061893	M C Dalal and Co	LR094	Alanine Amino Transferase (SGPT) Kit	Accepted	Accepted	Accepted
1061893	M C Dalal and Co	LR096	Alkaline Phosphatase Kit For Semi Automated Analyser	Rejected	Accepted	Rejected
1061893	M C Dalal and Co	LR097	Anti Streptolysin-O Kit	Accepted	Accepted	Accepted
1061893	M C Dalal and Co	LR098	Anti-HCV ELISA Kit	Accepted	Accepted	Accepted
1061893	M C Dalal and Co	LR101	Aspartate Transaminase (SGOT) Kit - Semi Automated Analyser	Accepted	Accepted	Accepted
1061893	M C Dalal and Co	LR103	Bilirubin Test Kit (Direct) for Semi Automated Analyser	Accepted	Accepted	Accepted
1061893	M C Dalal and Co	LR105	Bilirubin Test Kit (Total) For Semi Automated Analyser	Accepted	Accepted	Accepted
1061893	M C Dalal and Co	LR107	Cholesterol Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1061893	M C Dalal and Co	LR110	Laboratory Kits Creatinine Test Kit	Accepted	Accepted	Accepted
1061893	M C Dalal and Co	LR117	HBsAg ELISA Kit	Accepted	Accepted	Accepted
1061893	M C Dalal and Co	LR125	Pregnancy Card Test	Rejected	Accepted	Rejected
1061893	M C Dalal and Co	LR126	Rheumatoid Factor (RF) Test Kit - Rapid	Accepted	Accepted	Accepted
1061893	M C Dalal and Co	LR128	Total T3 Test Kit by ELISA	Rejected	Accepted	Rejected
1061893	M C Dalal and Co	LR131	Triglycerides Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1061893	M C Dalal and Co	LR135	Uric Acid Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1061893	M C Dalal and Co	LR140	Total Protein Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1061893	M C Dalal and Co	LR142	Total Albumin Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1061893	M C Dalal and Co	LR144	Amylase Kit (mono vial) For Semi Automated Analyser	Accepted	Accepted	Accepted
1061893	M C Dalal and Co	LR150	PT INR Kit	Rejected	Accepted	Rejected
1061893	M C Dalal and Co	LR173	Fluoride Tube with Grey Colour Cap	Accepted	Accepted	Accepted
1061893	M C Dalal and Co	LR177	Glucose Powder - 75gms	Accepted	Accepted	Accepted
1061893	M C Dalal and Co	LR178	K2 EDTA Tube - 2400 Tubes	Accepted	Accepted	Accepted
1061893	M C Dalal and Co	LR179	K2 EDTA Tube - 100 Nos	Accepted	Accepted	Accepted
1061893	M C Dalal and Co	LR185	Plain Tube with Red Colour Cap	Accepted	Accepted	Accepted
1061893	M C Dalal and Co	LR186	Sodium Citrate Tube with Black Colour Cap (ESR)	Accepted	Accepted	Accepted
1061893	M C Dalal and Co	LR187	Sodium Citrate Tube with Black Colour Cap (ESR)	Accepted	Accepted	Accepted
1061893	M C Dalal and Co	LR204	Plain Tube with Silica Clot Activator with Hemoguard Closure	Accepted	Accepted	Accepted
1061893	M C Dalal and Co	LR205	Lithium Heparin with Hemogard Closure - 4ml	Accepted	Accepted	Accepted
1061893	M C Dalal and Co	LR206	Sodium Fluoride and EDTA with Hemogard Closure - 2ml	Accepted	Accepted	Accepted
1061893	M C Dalal and Co	LR207	0.109M (3.2%) Sodium Citrate with Hemogard Closure - 1.8ml	Accepted	Accepted	Accepted
1061893	M C Dalal and Co	LR208	0.109M(3.2%) Sodium Citrate with Hemogard Closure - 2.7 ml	Accepted	Accepted	Accepted
1061893	M C Dalal and Co	LR209	Serum Separation Gel Tubes with Hemogard Closure - 3.5ml	Accepted	Accepted	Accepted
1061893	M C Dalal and Co	LR210	Serum Separation Gel Tubes with Hemogard Closure - 5ml	Accepted	Accepted	Accepted

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
	33					
1061942	Maan Pharmaceuticals	LR080	Isoprophyl Alcohol(Surgical Spirit)	Accepted	Accepted	Accepted
1061942	Maan Pharmaceuticals	LR081	Lugol's Iodine	Accepted	Accepted	Accepted
1061942	Maan Pharmaceuticals	LR084	Sodium Hypochlorite Solution - 5%	Rejected	Accepted	Rejected
1061942	Maan Pharmaceuticals	LR089	Mac Conkey Agar Media	Accepted	Accepted	Accepted
1061942	Maan Pharmaceuticals	LR090	Blood Agar	Accepted	Accepted	Accepted
1061942	Maan Pharmaceuticals	LR091	UTI Agar	Accepted	Accepted	Accepted
1061942	Maan Pharmaceuticals	LR092	SS Agar	Accepted	Accepted	Accepted
1061942	Maan Pharmaceuticals	LR168	Cary-Blair Medium- Sterile with Swab	Accepted	Accepted	Accepted
1061942	Maan Pharmaceuticals	LR204	Plain Tube with Silica Clot Activator with Hemoguard Closure	Accepted	Accepted	Accepted
1061942	Maan Pharmaceuticals	LR205	Lithium Heparin with Hemogard Closure - 4ml	Accepted	Accepted	Accepted
1061942	Maan Pharmaceuticals	LR206	Sodium Fluoride and EDTA with Hemogard Closure - 2ml	Accepted	Accepted	Accepted
1061942	Maan Pharmaceuticals	LR207	0.109M (3.2%) Sodium Citrate with Hemogard Closure - 1.8ml	Accepted	Accepted	Accepted
1061942	Maan Pharmaceuticals	LR208	0.109M(3.2%) Sodium Citrate with Hemogard Closure - 2.7 ml	Accepted	Accepted	Accepted
1061942	Maan Pharmaceuticals	LR209	Serum Separation Gel Tubes with Hemogard Closure - 3.5ml	Accepted	Accepted	Accepted
1061942	Maan Pharmaceuticals	LR210	Serum Separation Gel Tubes with Hemogard Closure - 5ml	Accepted	Accepted	Accepted
1061942	Maan Pharmaceuticals	LR213	Single use Universal Holder	Accepted	Accepted	Accepted
	16					
1059001	Mediglobe Systems	LR075	Absolute Alcohol AR - 500ml	No Sample	Accepted	Rejected
1059001	Mediglobe Systems	LR108	C-Reactive Protein(CRP) Test Kit-Rapid	Accepted	Accepted	Accepted

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1059001	Mediglobe Systems	LR116	HBsAg Card Test	Accepted	Rejected	Rejected
1059001	Mediglobe Systems	LR125	Pregnancy Card Test	Accepted	Accepted	Accepted
1059001	Mediglobe Systems	LR126	Rheumatoid Factor (RF) Test Kit - Rapid	Accepted	Accepted	Accepted
1059001	Mediglobe Systems	LR136	Urine - Sugar / Albumin Strips	Accepted	Rejected	Rejected
1059001	Mediglobe Systems	LR137	Urine Multi Strips	Accepted	Rejected	Rejected
1059001	Mediglobe Systems	LR138	Stained Salmonella Antigen Test Kit (WIDAL)	Accepted	Accepted	Accepted
1059001	Mediglobe Systems	LR145	Anti HCV Kit	Rejected	Rejected	Rejected
1059001	Mediglobe Systems	LR165	Malaria RDT Rapid Card Test	No Sample	Rejected	Rejected
1059001	Mediglobe Systems	LR173	Fluoride Tube with Grey Colour Cap	Accepted	Accepted	Accepted
1059001	Mediglobe Systems	LR175	Glass Slides	Accepted	Accepted	Accepted
1059001	Mediglobe Systems	LR176	Glass Test Tubes	Accepted	Accepted	Accepted
1059001	Mediglobe Systems	LR178	K2 EDTA Tube - 2400 Tubes	Accepted	Accepted	Accepted
1059001	Mediglobe Systems	LR179	K2 EDTA Tube - 100 Nos	Accepted	Accepted	Accepted
1059001	Mediglobe Systems	LR182	Microcentrifuge Tube	Accepted	Accepted	Accepted
1059001	Mediglobe Systems	LR183	Micropipette Tips - Small	Rejected	Accepted	Rejected
1059001	Mediglobe Systems	LR184	Micropipette Tips - Large	Rejected	Accepted	Rejected
1059001	Mediglobe Systems	LR185	Plain Tube with Red Colour Cap	Accepted	Accepted	Accepted
1059001	Mediglobe Systems	LR186	Sodium Citrate Tube with Black Colour Cap (ESR)	Accepted	Accepted	Accepted
1059001	Mediglobe Systems	LR187	Sodium Citrate Tube with Black Colour Cap (ESR)	Accepted	Accepted	Accepted
1059001	Mediglobe Systems	LR191	Serum Vials	Accepted	Accepted	Accepted
1059001	Mediglobe Systems	LR193	Sputum Cup-Sterile	Accepted	Accepted	Accepted
1059001	Mediglobe Systems	LR194	Stool Container-Non Sterile	Accepted	Accepted	Accepted

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1059001	Mediglobe Systems	LR195	Stool Container-Sterile	Accepted	Accepted	Accepted
1059001	Mediglobe Systems	LR197	Test Tube(Plastic) / RIA Vial	Accepted	Accepted	Accepted
1059001	Mediglobe Systems	LR198	Throat Swab in Plastic Tube-Sterile	Rejected	Accepted	Rejected
1059001	Mediglobe Systems	LR199	Throat Swab in Wooden Stick-Sterile	Rejected	Accepted	Rejected
1059001	Mediglobe Systems	LR201	Tourniquet	Accepted	Accepted	Accepted
1059001	Mediglobe Systems	LR202	Urine Container - Non Sterile	Accepted	Accepted	Accepted
1059001	Mediglobe Systems	LR204	Plain Tube with Silica Clot Activator with Hemoguard Closure	Accepted	Accepted	Accepted
1059001	Mediglobe Systems	LR205	Lithium Heparin with Hemogard Closure - 4ml	Accepted	Accepted	Accepted
1059001	Mediglobe Systems	LR206	Sodium Fluoride and EDTA with Hemogard Closure - 2ml	Accepted	Accepted	Accepted
1059001	Mediglobe Systems	LR207	0.109M (3.2%) Sodium Citrate with Hemogard Closure - 1.8ml	Rejected	Accepted	Rejected
1059001	Mediglobe Systems	LR208	0.109M(3.2%) Sodium Citrate with Hemogard Closure - 2.7 ml	Accepted	Accepted	Accepted
1059001	Mediglobe Systems	LR209	Serum Separation Gel Tubes with Hemogard Closure - 3.5ml	Accepted	Accepted	Accepted
1059001	Mediglobe Systems	LR210	Serum Separation Gel Tubes with Hemogard Closure - 5ml	Accepted	Accepted	Accepted
1059001	Mediglobe Systems	LR211	Safety Needle with Safety Shield, Black - 22G X 1.25	Accepted	Accepted	Accepted
1059001	Mediglobe Systems	LR212	Luer Adapter - Blue	Accepted	Accepted	Accepted
1059001	Mediglobe Systems	LR213	Single use Universal Holder	Accepted	Accepted	Accepted
	40					
1074967	Medsorce Ozone Biomedicals Pvt Ltd	LR097	Anti Streptolysin-O Kit	Accepted	Accepted	Accepted
1074967	Medsorce Ozone Biomedicals Pvt Ltd	LR098	Anti-HCV ELISA Kit	Accepted	Accepted	Accepted

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1074967	Medsorce Ozone Biomedicals Pvt Ltd	LR099	ASO Kit (Immuno Turbidometric Method)			Deleted
1074967	Medsorce Ozone Biomedicals Pvt Ltd	LR101	Aspartate Transaminase (SGOT) Kit - Semi Automated Analyser	Accepted	Accepted	Accepted
1074967	Medsorce Ozone Biomedicals Pvt Ltd	LR107	Cholesterol Test Kit For Semi Automated Analyser	Rejected	Accepted	Rejected
1074967	Medsorce Ozone Biomedicals Pvt Ltd	LR108	C-Reactive Protein(CRP) Test Kit-Rapid	Rejected	Accepted	Rejected
1074967	Medsorce Ozone Biomedicals Pvt Ltd	LR110	Laboratory Kits Creatinine Test Kit	Accepted	Accepted	Accepted
1074967	Medsorce Ozone Biomedicals Pvt Ltd	LR111	C-Reactive Protein(CRP) Test Kit-Quantitative			Deleted
1074967	Medsorce Ozone Biomedicals Pvt Ltd	LR113	Dengue NS1 ELISA Kit	Rejected	Accepted	Rejected
1074967	Medsorce Ozone Biomedicals Pvt Ltd	LR115	Glucose Test Kit for Semi Automated Analyser	Accepted	Accepted	Accepted
1074967	Medsorce Ozone Biomedicals Pvt Ltd	LR116	HBsAg Card Test	Accepted	Accepted	Accepted
1074967	Medsorce Ozone Biomedicals Pvt Ltd	LR117	HBsAg ELISA Kit	Rejected	Accepted	Rejected
1074967	Medsorce Ozone Biomedicals Pvt Ltd	LR119	HDL Cholesterol Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1074967	Medsorce Ozone Biomedicals Pvt Ltd	LR125	Pregnancy Card Test	Accepted	Accepted	Accepted
1074967	Medsorce Ozone Biomedicals Pvt Ltd	LR126	Rheumatoid Factor (RF) Test Kit - Rapid	Accepted	Accepted	Accepted
1074967	Medsorce Ozone Biomedicals Pvt Ltd	LR131	Triglycerides Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1074967	Medsorce Ozone Biomedicals Pvt Ltd	LR133	Urea Test Kit For Semi Automated Analyser	Rejected	Accepted	Rejected
1074967	Medsorce Ozone Biomedicals Pvt Ltd	LR135	Uric Acid Test Kit For Semi Automated Analyser	Accepted	Rejected	Rejected
1074967	Medsorce Ozone Biomedicals Pvt Ltd	LR136	Urine - Sugar / Albumin Strips	Accepted	Accepted	Accepted

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
	Pvt Ltd					
1074967	Medsorce Ozone Biomedicals Pvt Ltd	LR138	Stained Salmonella Antigen Test Kit (WIDAL)	No Sample	Accepted	Rejected
1074967	Medsorce Ozone Biomedicals Pvt Ltd	LR144	Amylase Kit (mono vial) For Semi Automated Analyser	Rejected	Accepted	Rejected
1074967	Medsorce Ozone Biomedicals Pvt Ltd	LR145	Anti HCV Kit	Rejected	Accepted	Rejected
1074967	Medsorce Ozone Biomedicals Pvt Ltd	LR152	Troponin I Kit	Accepted	Accepted	Accepted
1074967	Medsorce Ozone Biomedicals Pvt Ltd	LR165	Malaria RDT Rapid Card Test	Accepted	Accepted	Accepted
	24					
1083510	Meril Diagnostics Pvt Ltd	LR094	Alanine Amino Transferase (SGPT) Kit	Rejected	Accepted	Rejected
1083510	Meril Diagnostics Pvt Ltd	LR096	Alkaline Phosphatase Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1083510	Meril Diagnostics Pvt Ltd	LR098	Anti-HCV ELISA Kit	Rejected	Accepted	Rejected
1083510	Meril Diagnostics Pvt Ltd	LR101	Aspartate Transaminase (SGOT) Kit - Semi Automated Analyser	Accepted	Accepted	Accepted
1083510	Meril Diagnostics Pvt Ltd	LR103	Bilirubin Test Kit (Direct) for Semi Automated Analyser	Rejected	Accepted	Rejected
1083510	Meril Diagnostics Pvt Ltd	LR105	Bilirubin Test Kit (Total) For Semi Automated Analyser	Rejected	Accepted	Rejected
1083510	Meril Diagnostics Pvt Ltd	LR107	Cholesterol Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1083510	Meril Diagnostics Pvt Ltd	LR110	Laboratory Kits Creatinine Test Kit	Rejected	Accepted	Rejected
1083510	Meril Diagnostics Pvt Ltd	LR113	Dengue NS1 ELISA Kit	Accepted	Accepted	Accepted
1083510	Meril Diagnostics Pvt Ltd	LR115	Glucose Test Kit for Semi Automated Analyser	Accepted	Accepted	Accepted
1083510	Meril Diagnostics Pvt Ltd	LR116	HBsAg Card Test	Accepted	Accepted	Accepted
1083510	Meril Diagnostics Pvt Ltd	LR117	HBsAg ELISA Kit	Accepted	Accepted	Accepted

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1083510	Meril Diagnostics Pvt Ltd	LR119	HDL Cholesterol Kit For Semi Automated Analyser	Rejected	Accepted	Rejected
1083510	Meril Diagnostics Pvt Ltd	LR125	Pregnancy Card Test	Rejected	Accepted	Rejected
1083510	Meril Diagnostics Pvt Ltd	LR128	Total T3 Test Kit by ELISA	Rejected	Accepted	Rejected
1083510	Meril Diagnostics Pvt Ltd	LR129	TSH Test Kit by ELISA	Accepted	Accepted	Accepted
1083510	Meril Diagnostics Pvt Ltd	LR131	Triglycerides Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1083510	Meril Diagnostics Pvt Ltd	LR135	Uric Acid Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1083510	Meril Diagnostics Pvt Ltd	LR140	Total Protein Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1083510	Meril Diagnostics Pvt Ltd	LR142	Total Albumin Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1083510	Meril Diagnostics Pvt Ltd	LR145	Anti HCV Kit	Rejected	Accepted	Rejected
1083510	Meril Diagnostics Pvt Ltd	LR151	ELISA T4 96 Test	Accepted	Accepted	Accepted
1083510	Meril Diagnostics Pvt Ltd	LR165	Malaria RDT Rapid Card Test	Rejected	Accepted	Rejected
	23					
1070574	Microsil Manufacturers	LR075	Absolute Alcohol AR - 500ml	No Sample	Accepted	Rejected
1070574	Microsil Manufacturers	LR170	Cover Glass			Deleted
1070574	Microsil Manufacturers	LR175	Glass Slides	Accepted	Accepted	Accepted
1070574	Microsil Manufacturers	LR182	Microcentrifuge Tube	Rejected	Accepted	Rejected
	4					
1059005	Oscar Medicare Pvt Ltd	LR098	Anti-HCV ELISA Kit	Accepted	Accepted	Accepted
1059005	Oscar Medicare Pvt Ltd	LR113	Dengue NS1 ELISA Kit	Rejected	Accepted	Rejected
1059005	Oscar Medicare Pvt Ltd	LR116	HBsAg Card Test	Accepted	Accepted	Accepted
1059005	Oscar Medicare Pvt Ltd	LR117	HBsAg ELISA Kit	Rejected	Accepted	Rejected
1059005	Oscar Medicare Pvt Ltd	LR125	Pregnancy Card Test	Accepted	Accepted	Accepted

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1059005	Oscar Medicare Pvt Ltd	LR145	Anti HCV Kit	Rejected	Accepted	Rejected
1059005	Oscar Medicare Pvt Ltd	LR152	Troponin I Kit	Accepted	Accepted	Accepted
1059005	Oscar Medicare Pvt Ltd	LR165	Malaria RDT Rapid Card Test	Rejected	Accepted	Rejected
	8					
1087459	Pallav Chemicals and Solvents Pvt Ltd	LR076	Concentrated Hydrochloric Acid (HCl)	Accepted	Accepted	Accepted
1087459	Pallav Chemicals and Solvents Pvt Ltd	LR077	Concentrated Sulphuric Acid	Accepted	Accepted	Accepted
1087459	Pallav Chemicals and Solvents Pvt Ltd	LR078	Drapkin's Reagent	Accepted	Accepted	Accepted
1087459	Pallav Chemicals and Solvents Pvt Ltd	LR079	Fluoride Solution			Deleted
1087459	Pallav Chemicals and Solvents Pvt Ltd	LR080	Isoprophyl Alcohol(Surgical Spirit)	Accepted	Accepted	Accepted
1087459	Pallav Chemicals and Solvents Pvt Ltd	LR081	Lugol's Iodine	Accepted	Accepted	Accepted
1087459	Pallav Chemicals and Solvents Pvt Ltd	LR083	Potassium Hydroxide Solution - 20%	Accepted	Accepted	Accepted
1087459	Pallav Chemicals and Solvents Pvt Ltd	LR084	Sodium Hypochlorite Solution - 5%	Accepted	Accepted	Accepted
1087459	Pallav Chemicals and Solvents Pvt Ltd	LR085	Acetic Acid - 5%			Deleted
1087459	Pallav Chemicals and Solvents Pvt Ltd	LR086	Distilled Water	Accepted	Accepted	Accepted
1087459	Pallav Chemicals and Solvents Pvt Ltd	LR087	JSB 1 and 2	Accepted	Accepted	Accepted
1087459	Pallav Chemicals and Solvents Pvt Ltd	LR088	Leishman's Stain	Rejected	Accepted	Rejected
	12					
1088519	Premier Pharma Distributors	LR075	Absolute Alcohol AR - 500ml	No Sample	Accepted	Rejected

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1088519	Premier Pharma Distributors	LR076	Concentrated Hydrochloric Acid (HCl)	No Sample	Accepted	Rejected
1088519	Premier Pharma Distributors	LR077	Concentrated Sulphuric Acid	No Sample	Accepted	Rejected
1088519	Premier Pharma Distributors	LR080	Isoprophyl Alcohol(Surgical Spirit)	Rejected	Accepted	Rejected
1088519	Premier Pharma Distributors	LR084	Sodium Hypochlorite Solution - 5%	No Sample	Accepted	Rejected
1088519	Premier Pharma Distributors	LR086	Distilled Water	No Sample	Accepted	Rejected
1088519	Premier Pharma Distributors	LR116	HBsAg Card Test	Rejected	Accepted	Rejected
1088519	Premier Pharma Distributors	LR117	HBsAg ELISA Kit	Rejected	Accepted	Rejected
1088519	Premier Pharma Distributors	LR125	Pregnancy Card Test	Accepted	Accepted	Accepted
1088519	Premier Pharma Distributors	LR136	Urine - Sugar / Albumin Strips	Accepted	Accepted	Accepted
1088519	Premier Pharma Distributors	LR137	Urine Multi Strips	Rejected	Accepted	Rejected
1088519	Premier Pharma Distributors	LR152	Troponin I Kit	Rejected	Accepted	Rejected
1088519	Premier Pharma Distributors	LR172	Disposable Petri Plates-Sterile	Accepted	Accepted	Accepted
1088519	Premier Pharma Distributors	LR174	Glass Marking Pencil - White	Rejected	Accepted	Rejected
1088519	Premier Pharma Distributors	LR175	Glass Slides	Rejected	Accepted	Rejected
1088519	Premier Pharma Distributors	LR176	Glass Test Tubes	Rejected	Accepted	Rejected
1088519	Premier Pharma Distributors	LR177	Glucose Powder - 75gms	Accepted	Accepted	Accepted
1088519	Premier Pharma Distributors	LR178	K2 EDTA Tube - 2400 Tubes	No Sample	Accepted	Rejected
1088519	Premier Pharma Distributors	LR179	K2 EDTA Tube - 100 Nos	No Sample	Accepted	Rejected
1088519	Premier Pharma Distributors	LR180	Micro Tip Box - Large	Rejected	Accepted	Rejected
1088519	Premier Pharma Distributors	LR181	Micro Tip Box - Small	Rejected	Accepted	Rejected
1088519	Premier Pharma Distributors	LR182	Microcentrifuge Tube	No Sample	Accepted	Rejected
1088519	Premier Pharma Distributors	LR183	Micropipette Tips - Small	Rejected	Accepted	Rejected
1088519	Premier Pharma Distributors	LR184	Micropipette Tips - Large	Rejected	Accepted	Rejected

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1088519	Premier Pharma Distributors	LR185	Plain Tube with Red Colour Cap	No Sample	Accepted	Rejected
1088519	Premier Pharma Distributors	LR189	Capillary Tube Glass (Clotting Time)	Accepted	Accepted	Accepted
1088519	Premier Pharma Distributors	LR192	Sharp Container-White	No Sample	Accepted	Rejected
1088519	Premier Pharma Distributors	LR193	Sputum Cup-Sterile	No Sample	Accepted	Rejected
1088519	Premier Pharma Distributors	LR194	Stool Container-Non Sterile	Rejected	Accepted	Rejected
1088519	Premier Pharma Distributors	LR195	Stool Container-Sterile	No Sample	Accepted	Rejected
1088519	Premier Pharma Distributors	LR196	Test Tube Stand-PP-with 96 Holes	No Sample	Accepted	Rejected
1088519	Premier Pharma Distributors	LR197	Test Tube(Plastic) / RIA Vial	Rejected	Accepted	Rejected
1088519	Premier Pharma Distributors	LR198	Throat Swab in Plastic Tube-Sterile	Rejected	Accepted	Rejected
1088519	Premier Pharma Distributors	LR199	Throat Swab in Wooden Stick-Sterile	No Sample	Accepted	Rejected
1088519	Premier Pharma Distributors	LR200	Tissue Paper Roll	Rejected	Accepted	Rejected
1088519	Premier Pharma Distributors	LR201	Tourniquet	Rejected	Accepted	Rejected
1088519	Premier Pharma Distributors	LR202	Urine Container - Non Sterile	Rejected	Accepted	Rejected
1088519	Premier Pharma Distributors	LR203	Hand Wash Solution	Accepted	Accepted	Accepted
1088519	Premier Pharma Distributors	LR204	Plain Tube with Silica Clot Activator with Hemoguard Closure	Accepted	Accepted	Accepted
1088519	Premier Pharma Distributors	LR206	Sodium Fluoride and EDTA with Hemogard Closure - 2ml	Rejected	Accepted	Rejected
	40					
1062022	Rex Enterprises	LR075	Absolute Alcohol AR - 500ml	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR076	Concentrated Hydrochloric Acid (HCl)	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR077	Concentrated Sulphuric Acid	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR078	Drapkin's Reagent	Rejected	Accepted	Rejected
1062022	Rex Enterprises	LR080	Isoprophyl Alcohol(Surgical Spirit)	Rejected	Accepted	Rejected

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1062022	Rex Enterprises	LR081	Lugol's Iodine	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR082	Normal Physiological Saline - 0.85%			Deleted
1062022	Rex Enterprises	LR083	Potassium Hydroxide Solution - 20%	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR084	Sodium Hypochlorite Solution - 5%	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR085	Acetic Acid - 5%			Deleted
1062022	Rex Enterprises	LR086	Distilled Water	Rejected	Accepted	Rejected
1062022	Rex Enterprises	LR087	JSB 1 and 2	Rejected	Accepted	Rejected
1062022	Rex Enterprises	LR088	Leishman's Stain	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR089	Mac Conkey Agar Media	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR090	Blood Agar	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR091	UTI Agar	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR092	SS Agar	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR094	Alanine Amino Transferase (SGPT) Kit	Rejected	Accepted	Rejected
1062022	Rex Enterprises	LR096	Alkaline Phosphatase Kit For Semi Automated Analyser	Rejected	Accepted	Rejected
1062022	Rex Enterprises	LR097	Anti Streptolysin-O Kit	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR098	Anti-HCV ELISA Kit	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR099	ASO Kit (Immuno Turbidometric Method)			Deleted
1062022	Rex Enterprises	LR101	Aspartate Transaminase (SGOT) Kit - Semi Automated Analyser	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR103	Bilirubin Test Kit (Direct) for Semi Automated Analyser	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR105	Bilirubin Test Kit (Total) For Semi Automated Analyser	Rejected	Accepted	Rejected
1062022	Rex Enterprises	LR107	Cholesterol Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1062022	Rex Enterprises	LR110	Laboratory Kits Creatinine Test Kit	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR112	Dengue IgM ELISA Kit	Rejected	Accepted	Rejected
1062022	Rex Enterprises	LR113	Dengue NS1 ELISA Kit	Rejected	Accepted	Rejected
1062022	Rex Enterprises	LR115	Glucose Test Kit for Semi Automated Analyser	Rejected	Accepted	Rejected
1062022	Rex Enterprises	LR116	HBsAg Card Test	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR117	HBsAg ELISA Kit	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR119	HDL Cholesterol Kit For Semi Automated Analyser	No Sample	Accepted	Rejected
1062022	Rex Enterprises	LR120	Hepatitis A IgM ELISA Kit	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR121	Hepatitis E IgM ELISA Kit	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR123	Microalbuminuria Kit for Semi Automated Analyser	No Sample	Rejected	Rejected
1062022	Rex Enterprises	LR124	PA Coliform Test Kits	No Sample	Rejected	Rejected
1062022	Rex Enterprises	LR125	Pregnancy Card Test	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR126	Rheumatoid Factor (RF) Test Kit - Rapid	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR127	Scrub Typhus IgM ELISA Kit	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR128	Total T3 Test Kit by ELISA	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR129	TSH Test Kit by ELISA	Rejected	Accepted	Rejected
1062022	Rex Enterprises	LR131	Triglycerides Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR133	Urea Test Kit For Semi Automated Analyser	No Sample	Accepted	Rejected
1062022	Rex Enterprises	LR135	Uric Acid Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR136	Urine - Sugar / Albumin Strips	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR137	Urine Multi Strips	No Sample	Accepted	Rejected
1062022	Rex Enterprises	LR138	Stained Salmonella Antigen Test Kit (WIDAL)	Rejected	Accepted	Rejected

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1062022	Rex Enterprises	LR140	Total Protein Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR142	Total Albumin Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR145	Anti HCV Kit	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR146	Grams Stain Reagent Kit	Accepted	Rejected	Rejected
1062022	Rex Enterprises	LR151	ELISA T4 96 Test	Rejected	Accepted	Rejected
1062022	Rex Enterprises	LR152	Troponin I Kit	Rejected	Accepted	Rejected
1062022	Rex Enterprises	LR165	Malaria RDT Rapid Card Test	Rejected	Accepted	Rejected
1062022	Rex Enterprises	LR168	Cary-Blair Medium- Sterile with Swab	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR169	Cavity Slide	Rejected	Accepted	Rejected
1062022	Rex Enterprises	LR170	Cover Glass			Deleted
1062022	Rex Enterprises	LR172	Disposable Petri Plates-Sterile	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR173	Fluoride Tube with Grey Colour Cap	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR174	Glass Marking Pencil - White	No Sample	Accepted	Rejected
1062022	Rex Enterprises	LR175	Glass Slides	Rejected	Accepted	Rejected
1062022	Rex Enterprises	LR176	Glass Test Tubes	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR177	Glucose Powder - 75gms	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR178	K2 EDTA Tube - 2400 Tubes	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR179	K2 EDTA Tube - 100 Nos	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR182	Microcentrifuge Tube	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR183	Micropipette Tips - Small	Rejected	Accepted	Rejected
1062022	Rex Enterprises	LR184	Micropipette Tips - Large	Rejected	Accepted	Rejected
1062022	Rex Enterprises	LR185	Plain Tube with Red Colour Cap	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR186	Sodium Citrate Tube with Black Colour Cap	Accepted	Accepted	Accepted

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
			(ESR)			
1062022	Rex Enterprises	LR187	Sodium Citrate Tube with Black Colour Cap (ESR)	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR189	Capillary Tube Glass (Clotting Time)	Rejected	Accepted	Rejected
1062022	Rex Enterprises	LR191	Serum Vials	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR193	Sputum Cup-Sterile	Accepted	Rejected	Rejected
1062022	Rex Enterprises	LR194	Stool Container-Non Sterile	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR195	Stool Container-Sterile	Accepted	Rejected	Rejected
1062022	Rex Enterprises	LR197	Test Tube(Plastic) / RIA Vial	Rejected	Accepted	Rejected
1062022	Rex Enterprises	LR198	Throat Swab in Plastic Tube-Sterile	Accepted	Rejected	Rejected
1062022	Rex Enterprises	LR199	Throat Swab in Wooden Stick-Sterile	Accepted	Rejected	Rejected
1062022	Rex Enterprises	LR201	Tourniquet	No Sample	Rejected	Rejected
1062022	Rex Enterprises	LR202	Urine Container - Non Sterile	Accepted	Accepted	Accepted
1062022	Rex Enterprises	LR204	Plain Tube with Silica Clot Activator with Hemoguard Closure	Accepted	Rejected	Rejected
1062022	Rex Enterprises	LR205	Lithium Heparin with Hemogard Closure - 4ml	Accepted	Rejected	Rejected
1062022	Rex Enterprises	LR206	Sodium Fluoride and EDTA with Hemogard Closure - 2ml	Accepted	Rejected	Rejected
1062022	Rex Enterprises	LR207	0.109M (3.2%) Sodium Citrate with Hemogard Closure - 1.8ml	Accepted	Rejected	Rejected
1062022	Rex Enterprises	LR208	0.109M(3.2%) Sodium Citrate with Hemogard Closure - 2.7 ml	Accepted	Rejected	Rejected
1062022	Rex Enterprises	LR209	Serum Separation Gel Tubes with Hemogard Closure - 3.5ml	Accepted	Rejected	Rejected
1062022	Rex Enterprises	LR210	Serum Separation Gel Tubes with Hemogard Closure - 5ml	Accepted	Rejected	Rejected
		89				

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1088261	Royal Agencies	LR081	Lugol's Iodine	No Sample	Accepted	Rejected
1088261	Royal Agencies	LR087	JSB 1 and 2	Rejected	Accepted	Rejected
1088261	Royal Agencies	LR089	Mac Conkey Agar Media	Accepted	Accepted	Accepted
1088261	Royal Agencies	LR090	Blood Agar	Accepted	Accepted	Accepted
1088261	Royal Agencies	LR091	UTI Agar	Accepted	Accepted	Accepted
1088261	Royal Agencies	LR092	SS Agar	Accepted	Accepted	Accepted
1088261	Royal Agencies	LR096	Alkaline Phosphatase Kit For Semi Automated Analyser	Rejected	Accepted	Rejected
1088261	Royal Agencies	LR098	Anti-HCV ELISA Kit	Rejected	Accepted	Rejected
1088261	Royal Agencies	LR113	Dengue NS1 ELISA Kit	Accepted	Accepted	Accepted
1088261	Royal Agencies	LR116	HBsAg Card Test	Accepted	Accepted	Accepted
1088261	Royal Agencies	LR117	HBsAg ELISA Kit	Accepted	Accepted	Accepted
1088261	Royal Agencies	LR119	HDL Cholesterol Kit For Semi Automated Analyser	Rejected	Accepted	Rejected
1088261	Royal Agencies	LR124	PA Coliform Test Kits	Accepted	Accepted	Accepted
1088261	Royal Agencies	LR131	Triglycerides Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1088261	Royal Agencies	LR136	Urine - Sugar / Albumin Strips	Accepted	Accepted	Accepted
1088261	Royal Agencies	LR145	Anti HCV Kit	Rejected	Accepted	Rejected
1088261	Royal Agencies	LR152	Troponin I Kit	Rejected	Accepted	Rejected
1088261	Royal Agencies	LR165	Malaria RDT Rapid Card Test	Accepted	Accepted	Accepted
1088261	Royal Agencies	LR168	Cary-Blair Medium- Sterile with Swab	No Sample	Accepted	Rejected
1088261	Royal Agencies	LR172	Disposable Petri Plates-Sterile	Accepted	Accepted	Accepted
1088261	Royal Agencies	LR178	K2 EDTA Tube - 2400 Tubes	No Sample	Rejected	Rejected
1088261	Royal Agencies	LR179	K2 EDTA Tube - 100 Nos	No Sample	Rejected	Rejected

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1088261	Royal Agencies	LR187	Sodium Citrate Tube with Black Colour Cap (ESR)	No Sample	Rejected	Rejected
1088261	Royal Agencies	LR188	Filter Papers (BT & CT)	No Sample	Rejected	Rejected
1088261	Royal Agencies	LR189	Capillary Tube Glass (Clotting Time)	No Sample	Accepted	Rejected
1088261	Royal Agencies	LR190	Plastic Bins	Accepted	Accepted	Accepted
1088261	Royal Agencies	LR192	Sharp Container-White	Rejected	Accepted	Rejected
1088261	Royal Agencies	LR196	Test Tube Stand-PP-with 96 Holes	No Sample	Accepted	Rejected
1088261	Royal Agencies	LR197	Test Tube(Plastic) / RIA Vial	No Sample	Rejected	Rejected
1088261	Royal Agencies	LR198	Throat Swab in Plastic Tube-Sterile	Accepted	Rejected	Rejected
1088261	Royal Agencies	LR199	Throat Swab in Wooden Stick-Sterile	No Sample	Rejected	Rejected
1088261	Royal Agencies	LR200	Tissue Paper Roll	No Sample	Accepted	Rejected
1088261	Royal Agencies	LR201	Tourniquet	No Sample	Rejected	Rejected
1088261	Royal Agencies	LR202	Urine Container - Non Sterile	No Sample	Rejected	Rejected
	34					
1088133	S.S. Chemicals	LR080	Isoprophyl Alcohol(Surgical Spirit)	Accepted	Accepted	Accepted
1088133	S.S. Chemicals	LR084	Sodium Hypochlorite Solution - 5%	Accepted	Accepted	Accepted
1088133	S.S. Chemicals	LR085	Acetic Acid - 5%			Deleted
1088133	S.S. Chemicals	LR086	Distilled Water	Rejected	Accepted	Rejected
1088133	S.S. Chemicals	LR088	Leishman's Stain	No Sample	Accepted	Rejected
1088133	S.S. Chemicals	LR089	Mac Conkey Agar Media	Accepted	Accepted	Accepted
1088133	S.S. Chemicals	LR090	Blood Agar	Accepted	Accepted	Accepted
1088133	S.S. Chemicals	LR091	UTI Agar	Accepted	Accepted	Accepted
1088133	S.S. Chemicals	LR092	SS Agar	Accepted	Accepted	Accepted

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1088133	S.S. Chemicals	LR124	PA Coliform Test Kits	Accepted	Accepted	Accepted
1088133	S.S. Chemicals	LR125	Pregnancy Card Test	Accepted	Accepted	Accepted
1088133	S.S. Chemicals	LR137	Urine Multi Strips	Accepted	Accepted	Accepted
1088133	S.S. Chemicals	LR168	Cary-Blair Medium- Sterile with Swab	Accepted	Accepted	Accepted
1088133	S.S. Chemicals	LR190	Plastic Bins	Accepted	Accepted	Accepted
1088133	S.S. Chemicals	LR203	Hand Wash Solution	Accepted	Accepted	Accepted
	15					
1057645	SD Biosensor Healthcare Pvt Ltd	LR112	Dengue IgM ELISA Kit	Accepted	Accepted	Accepted
1057645	SD Biosensor Healthcare Pvt Ltd	LR113	Dengue NS1 ELISA Kit	Accepted	Accepted	Accepted
1057645	SD Biosensor Healthcare Pvt Ltd	LR125	Pregnancy Card Test	No Sample	Rejected	Rejected
1057645	SD Biosensor Healthcare Pvt Ltd	LR145	Anti HCV Kit	Accepted	Accepted	Accepted
1057645	SD Biosensor Healthcare Pvt Ltd	LR165	Malaria RDT Rapid Card Test	Accepted	Accepted	Accepted
	5					
1087668	SD Fine Chem Limited	LR075	Absolute Alcohol AR - 500ml	No Sample	Accepted	Rejected
1087668	SD Fine Chem Limited	LR076	Concentrated Hydrochloric Acid (HCl)	No Sample	Accepted	Rejected
1087668	SD Fine Chem Limited	LR077	Concentrated Sulphuric Acid	No Sample	Accepted	Rejected
1087668	SD Fine Chem Limited	LR078	Drapkin's Reagent	No Sample	Accepted	Rejected
1087668	SD Fine Chem Limited	LR079	Fluoride Solution			Deleted
1087668	SD Fine Chem Limited	LR080	Isoprophyl Alcohol(Surgical Spirit)	No Sample	Accepted	Rejected
1087668	SD Fine Chem Limited	LR081	Lugol's Iodine	No Sample	Accepted	Rejected
1087668	SD Fine Chem Limited	LR083	Potassium Hydroxide Solution - 20%	No Sample	Accepted	Rejected

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1087668	SD Fine Chem Limited	LR084	Sodium Hypochlorite Solution - 5%	No Sample	Accepted	Rejected
1087668	SD Fine Chem Limited	LR085	Acetic Acid - 5%			Deleted
1087668	SD Fine Chem Limited	LR086	Distilled Water	No Sample	Accepted	Rejected
1087668	SD Fine Chem Limited	LR087	JSB 1 and 2	No Sample	Accepted	Rejected
1087668	SD Fine Chem Limited	LR088	Leishman's Stain	No Sample	Accepted	Rejected
1087668	SD Fine Chem Limited	LR146	Grams Stain Reagent Kit	No Sample	Accepted	Rejected
1087668	SD Fine Chem Limited	LR177	Glucose Powder - 75gms	No Sample	Accepted	Rejected
	15					
1067149	Sejal Plastics	LR172	Disposable Petri Plates-Sterile	Accepted	Accepted	Accepted
1067149	Sejal Plastics	LR182	Microcentrifuge Tube	Accepted	Accepted	Accepted
1067149	Sejal Plastics	LR183	Micropipette Tips - Small	Rejected	Accepted	Rejected
1067149	Sejal Plastics	LR184	Micropipette Tips - Large	Rejected	Accepted	Rejected
1067149	Sejal Plastics	LR191	Serum Vials	Accepted	Accepted	Accepted
1067149	Sejal Plastics	LR193	Sputum Cup-Sterile	Accepted	Accepted	Accepted
1067149	Sejal Plastics	LR194	Stool Container-Non Sterile	Accepted	Accepted	Accepted
1067149	Sejal Plastics	LR195	Stool Container-Sterile	Accepted	Accepted	Accepted
1067149	Sejal Plastics	LR197	Test Tube(Plastic) / RIA Vial	Rejected	Accepted	Rejected
1067149	Sejal Plastics	LR198	Throat Swab in Plastic Tube-Sterile	Rejected	Accepted	Rejected
1067149	Sejal Plastics	LR199	Throat Swab in Wooden Stick-Sterile	Rejected	Accepted	Rejected
1067149	Sejal Plastics	LR202	Urine Container - Non Sterile	Accepted	Accepted	Accepted
	12					
1067570	Shri Zelco Foods Pvt Ltd	LR177	Glucose Powder - 75gms	Accepted	Accepted	Accepted
	1					

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1058620	TamilNadu Chemicals Industries	LR084	Sodium Hypochlorite Solution - 5%	Accepted	Accepted	Accepted
		1				
1087782	Transasia Bio-Medicals Ltd	LR094	Alanine Amino Transferase (SGPT) Kit	Accepted	Accepted	Accepted
1087782	Transasia Bio-Medicals Ltd	LR096	Alkaline Phosphatase Kit For Semi Automated Analyser	Rejected	Accepted	Rejected
1087782	Transasia Bio-Medicals Ltd	LR098	Anti-HCV ELISA Kit	Accepted	Accepted	Accepted
1087782	Transasia Bio-Medicals Ltd	LR099	ASO Kit (Immuno Turbidometric Method)			Deleted
1087782	Transasia Bio-Medicals Ltd	LR101	Aspartate Transaminase (SGOT) Kit - Semi Automated Analyser	Accepted	Accepted	Accepted
1087782	Transasia Bio-Medicals Ltd	LR103	Bilirubin Test Kit (Direct) for Semi Automated Analyser	Accepted	Accepted	Accepted
1087782	Transasia Bio-Medicals Ltd	LR105	Bilirubin Test Kit (Total) For Semi Automated Analyser	Accepted	Accepted	Accepted
1087782	Transasia Bio-Medicals Ltd	LR107	Cholesterol Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1087782	Transasia Bio-Medicals Ltd	LR110	Laboratory Kits Creatinine Test Kit	Accepted	Accepted	Accepted
1087782	Transasia Bio-Medicals Ltd	LR112	Dengue IgM ELISA Kit	Accepted	Accepted	Accepted
1087782	Transasia Bio-Medicals Ltd	LR113	Dengue NS1 ELISA Kit	Accepted	Accepted	Accepted
1087782	Transasia Bio-Medicals Ltd	LR115	Glucose Test Kit for Semi Automated Analyser	Accepted	Accepted	Accepted
1087782	Transasia Bio-Medicals Ltd	LR116	HBsAg Card Test	Accepted	Accepted	Accepted
1087782	Transasia Bio-Medicals Ltd	LR117	HBsAg ELISA Kit	Accepted	Accepted	Accepted
1087782	Transasia Bio-Medicals Ltd	LR119	HDL Cholesterol Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1087782	Transasia Bio-Medicals Ltd	LR123	Microalbuminuria Kit for Semi Automated Analyser	Accepted	Accepted	Accepted
1087782	Transasia Bio-Medicals Ltd	LR131	Triglycerides Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1087782	Transasia Bio-Medicals Ltd	LR133	Urea Test Kit For Semi Automated Analyser	Rejected	Accepted	Rejected
1087782	Transasia Bio-Medicals Ltd	LR135	Uric Acid Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1087782	Transasia Bio-Medicals Ltd	LR136	Urine - Sugar / Albumin Strips	Accepted	Accepted	Accepted
1087782	Transasia Bio-Medicals Ltd	LR137	Urine Multi Strips	Accepted	Accepted	Accepted
1087782	Transasia Bio-Medicals Ltd	LR140	Total Protein Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1087782	Transasia Bio-Medicals Ltd	LR142	Total Albumin Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1087782	Transasia Bio-Medicals Ltd	LR144	Amylase Kit (mono vial) For Semi Automated Analyser	Accepted	Accepted	Accepted
1087782	Transasia Bio-Medicals Ltd	LR145	Anti HCV Kit	Rejected	Accepted	Rejected
1087782	Transasia Bio-Medicals Ltd	LR147	Solution pack for Electrolyte Analyzer Easylyte Na/k	Accepted	Accepted	Accepted
1087782	Transasia Bio-Medicals Ltd	LR148	Solution Pack for Electrolyte Analyzer Easylyte Na/k/Cl	Accepted	Accepted	Accepted
1087782	Transasia Bio-Medicals Ltd	LR149	Solution Pack for Electrolyte Analyzer Easylyte	Accepted	Accepted	Accepted
1087782	Transasia Bio-Medicals Ltd	LR150	PT INR Kit	Rejected	Accepted	Rejected
1087782	Transasia Bio-Medicals Ltd	LR165	Malaria RDT Rapid Card Test	Rejected	Accepted	Rejected
1087782	Transasia Bio-Medicals Ltd	LR166	Disposable Micro Tips for Micro Plate Reader Elan 30S			Deleted
1087782	Transasia Bio-Medicals Ltd	LR167	Transponder for fully automated EWSR Analyzer			Deleted
		32				
1062112	Venu and Co	LR078	Drapkin's Reagent	Accepted	Accepted	Accepted
1062112	Venu and Co	LR079	Fluoride Solution			Deleted
1062112	Venu and Co	LR081	Lugol's Iodine	Accepted	Accepted	Accepted
1062112	Venu and Co	LR094	Alanine Amino Transferase (SGPT) Kit	Rejected	Accepted	Rejected
1062112	Venu and Co	LR096	Alkaline Phosphatase Kit For Semi Automated Analyser	Accepted	Accepted	Accepted

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
1062112	Venu and Co	LR097	Anti Streptolysin-O Kit	Accepted	Accepted	Accepted
1062112	Venu and Co	LR101	Aspartate Transaminase (SGOT) Kit - Semi Automated Analyser	Accepted	Accepted	Accepted
1062112	Venu and Co	LR103	Bilirubin Test Kit (Direct) for Semi Automated Analyser	Rejected	Accepted	Rejected
1062112	Venu and Co	LR105	Bilirubin Test Kit (Total) For Semi Automated Analyser	Rejected	Accepted	Rejected
1062112	Venu and Co	LR107	Cholesterol Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1062112	Venu and Co	LR108	C-Reactive Protein(CRP) Test Kit-Rapid	Rejected	Accepted	Rejected
1062112	Venu and Co	LR110	Laboratory Kits Creatinine Test Kit	Accepted	Accepted	Accepted
1062112	Venu and Co	LR119	HDL Cholesterol Kit For Semi Automated Analyser	Rejected	Accepted	Rejected
1062112	Venu and Co	LR123	Microalbuminuria Kit for Semi Automated Analyser	Accepted	Accepted	Accepted
1062112	Venu and Co	LR126	Rheumatoid Factor (RF) Test Kit - Rapid	Accepted	Accepted	Accepted
1062112	Venu and Co	LR135	Uric Acid Test Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1062112	Venu and Co	LR138	Stained Salmonella Antigen Test Kit (WIDAL)	Accepted	Accepted	Accepted
1062112	Venu and Co	LR140	Total Protein Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1062112	Venu and Co	LR142	Total Albumin Kit For Semi Automated Analyser	Accepted	Accepted	Accepted
1062112	Venu and Co	LR144	Amylase Kit (mono vial) For Semi Automated Analyser	Accepted	Accepted	Accepted
1062112	Venu and Co	LR146	Grams Stain Reagent Kit	Rejected	Accepted	Rejected
1062112	Venu and Co	LR173	Fluoride Tube with Grey Colour Cap	Accepted	Accepted	Accepted
1062112	Venu and Co	LR178	K2 EDTA Tube - 2400 Tubes	Accepted	Accepted	Accepted
1062112	Venu and Co	LR179	K2 EDTA Tube - 100 Nos	No Sample	Accepted	Rejected
1062112	Venu and Co	LR185	Plain Tube with Red Colour Cap	Accepted	Accepted	Accepted

Bidder ID	Tenderer Name	Code No.	Name of the Product	Sample Evaluation	Technical Evaluation	Final Status
	25					
1061003	Vinayak Manutrade (P) Ltd	LR075	Absolute Alcohol AR - 500ml	Accepted	Accepted	Accepted
1061003	Vinayak Manutrade (P) Ltd	LR080	Isoprophyl Alcohol(Surgical Spirit)	Rejected	Accepted	Rejected
1061003	Vinayak Manutrade (P) Ltd	LR084	Sodium Hypochlorite Solution - 5%	Accepted	Accepted	Accepted
1061003	Vinayak Manutrade (P) Ltd	LR085	Acetic Acid - 5%			Deleted
1061003	Vinayak Manutrade (P) Ltd	LR086	Distilled Water	Accepted	Accepted	Accepted
1061003	Vinayak Manutrade (P) Ltd	LR177	Glucose Powder - 75gms	Accepted	Accepted	Accepted
	6					